according to Regulation (EC) No 1907/2006

## 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

375 Contact-Cleaner 07375020A

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaner

# 1.3. Details of the supplier of the safety data sheet

Company name: TUNAP GmbH & Co. KG
Street: Bürgermeister-Seidl-Str. 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600 - 0 Telefax: +49 (0) 8171/1600 - 40

e-mail: sdb@tunap.com Internet: www.tunap.com

**1.4. Emergency telephone** +49 (0) 30 30 686 790 (Giftnotruf Berlin)

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Causes serious eye irritation. May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics

2-Propanol

Signal word: Danger

Pictograms:







#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

# Precautionary statements

P210 Keep away from heat. No Smoking.

according to Regulation (EC) No 1907/2006

375 Contact-Cleaner 07375020A					
Revision date: 11.09.2018	Product code: 11AFX07_375020A	Page 2 of 10			
P211	Do not spray on an open flame or other ignition source.				
P260	Do not breathe Aerosol.				
P280	eye protection				
P271	Use only outdoors or in a well-ventilated area.				
P273	Avoid release to the environment.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P314	Get medical advice/attention if you feel unwell.				
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.				
P251	Do not pierce or burn, even after use.				
P501	Dispose of contents/container according to the official regulations.				

# Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

# 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Reinger

## **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulati	ion (EC) No. 1272/2008 [CLP]	•		
64742-49-0	Hydrocarbons C7-C9, n-alkanes, is	o-alkanes, cyclics		25 - < 50 %	
	920-750-0		01-2119473851-33		
	Flam. Liq. 2, STOT SE 3, Asp. Tox.	1, Aquatic Chronic 2; H225 H336 H3	304 H411 EUH066		
67-63-0	2-Propanol			25 - < 50 %	
	200-661-7	603-117-00-0	01-2119457558-25		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336			
124-38-9	carbon dioxide			3 - < 5 %	
	204-696-9				

Full text of H and EUH statements: see section 16.

# Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

# After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

#### 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 3 of 10

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatique, skin irritation

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

## Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

## 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

## Additional information

Danger of bursting container.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Do not breathe gas/fumes/vapour/spray.

according to Regulation (EC) No 1907/2006

#### 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 4 of 10

## Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Vapours may form explosive mixtures with air.

#### Further information on handling

Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

## Hints on joint storage

Do not store together with: Material, rich in oxygen, oxidizing.

#### Further information on storage conditions

Protect from frost. Protect against direct sunlight.

### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400	Î	STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250	ĺ	STEL (15 min)	WEL

### Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts

d prior to next shift

TWA (EC): time-weighted average

U: Urea B: Blood

# 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

#### Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

**DIN EN 166** 

# Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

according to Regulation (EC) No 1907/2006

## 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07 375020A Page 5 of 10

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

**DIN EN 374** 

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

## **Environmental exposure controls**

Observe legal regulations and provisions.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Aerosol Colour: colourless Odour: solvent like

Test method

pH-Value (at 20 °C): not applicable

Changes in the physical state

No information available. Melting point:

Initial boiling point and boiling range: 78 °C

Sublimation point: No information available. Softening point: No information available.

1°C Flash point:

Lower explosion limits: 0.9 vol. %

Upper explosion limits: 12 vol. %

Ignition temperature: No information available. Vapour pressure: No information available. Vapour pressure: No information available.

Density (at 20 °C): 0,7525 g/cm3 DIN 51757

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Partition coefficient: No information available. Viscosity / dynamic: No information available. Viscosity / kinematic: No information available. No information available.

No information available. Vapour density: Evaporation rate: No information available. No information available. Solvent separation test:

Solvent content: No information available.

# 9.2. Other information

Flow time:

according to Regulation (EC) No 1907/2006

#### 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 6 of 10

Solid content: No information available.

density: Data apply to technical substance.

pressure: 6,0 bar (20°C)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

# 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

## 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with other chemicals.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No information available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-63-0	2-Propanol					·		
	oral	LD50 mg/kg	5280	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalation (4 h) vapour	LC50	47,5 mg/l	Rat				

# Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Vapours may cause drowsiness and dizziness.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

#### 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 7 of 10

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics; 2-Propanol)

## STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Has degreasing effect on the skin. Frequently or prolonged contact with skin may cause dermal irritation.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No information available.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d] Species		Source	Method	
67-63-0	2-Propanol							
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50 mg/l	> 100	1	Desmodesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna			

## 12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	2-Propanol	0,05

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# 12.6. Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

according to Regulation (EC) No 1907/2006

## 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 8 of 10

## Advice on disposal

Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

# Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1

Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

# Inland waterways transport (ADN)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS (Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics)

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:Yes

according to Regulation (EC) No 1907/2006

	375 Contact-Cleaner 07375020A	
Revision date: 11.09.2018	Product code: 11AFX07_375020A	Page 9 of 10

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

Danger releasing substance: Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics

14.6. Special precautions for user
Warning: Flammable gases

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics 2010/75/EU (VOC):

No information available.

No information available.

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol directive (75/324/EEC)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

**Additional information** 

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P. Classification and labeling as carcinogenic is not necessary.

# **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 1.

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

according to Regulation (EC) No 1907/2006

## 375 Contact-Cleaner 07375020A

Revision date: 11.09.2018 Product code: 11AFX07\_375020A Page 10 of 10

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

#### Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)