



according to UK REACH Regulation

900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

900 Service Spray MP90000100D

UFI:

6M78-X0JV-000Q-2DNV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
E-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Precautionary statements

Keep out of reach of children.
If medical advice is needed, have product container or label at hand.
Do not spray on an open flame or other ignition source.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not breathe spray.
Use only outdoors or in a well-ventilated area.
Do not pierce or burn, even after use.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients



900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 2 of 12

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP			
75-28-5	isobutane			50 - < 100 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied	gas; H220 H280		
90622-57-4	Hydrocarbons, C11-C1	2, isoalkanes, <2% aromatics		10 - < 20 %
	918-167-1		01-2119472146-39	
	Flam. Liq. 3, Asp. Tox.	1; H226 H304 EUH066	•	
68037-01-4	Dec-1-ene, homopolym	5 - < 10 %		
	500-183-1		01-2119486452-34	
	Asp. Tox. 1; H304			
74-98-6	propane	5 - < 10 %		
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied			
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied			
97675-24-6	Benzene, C9-C13-alkyl	< 0.1 %		
	307-593-8		01-2119985174-30	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

Specific Con	nc. Limits, M-fa	actors and ATE				
CAS No	EC No	Chemical name	Quantity			
	Specific Conc	: Limits, M-factors and ATE				
90622-57-4	918-167-1	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	10 - < 20 %			
	inhalation: LC50 = >25 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
68037-01-4	500-183-1	Dec-1-ene, homopolymer, hydrogenated	5 - < 10 %			
	inhalation: L0 5000 mg/kg	C50 = > 5,2 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = >				
97675-24-6	307-593-8	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts	< 0.1 %			
		50 = >5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 Sens. 1B; H317: >= 10 - 100				

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse.



according to UK REACH Regulation

900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 3 of 12

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.



according to UK REACH Regulation

900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 4 of 12

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

Lubricant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL



900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 5 of 12

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
97675-24-6	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated,	calcium salts					
Worker DNEL,	long-term	dermal	systemic	3,33 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	0,33 mg/m³			
Consumer DNE	EL, long-term	dermal	systemic	1,667 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day			
Worker DNEL,	long-term	inhalation	systemic	0,66 mg/m³			

PNEC values

CAS No	Substance					
Environment	Environmental compartment Value					
97675-24-6	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts					
Freshwater		1 mg/l				
Freshwater (intermittent releases) 10 mg/l						
Marine water	1 mg/l					
Freshwater sediment 723500000 mg.						
Marine sediment						
Secondary poisoning 16,667 n						
Micro-organi	100 mg/l					
Soil	868700000 mg/kg					

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm EN ISO 374



Safety Data Sheet according to UK REACH Regulation

900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 6 of 12

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: AX Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Aerosol	
Colour:	beige	
Odour:	characteristic	
		Test method
Melting point/freezing point:	not determined	
Flammability:	not applicable	
	not applicable	
Lower explosion limits:	0,5 vol. %	
Upper explosion limits:	9,4 vol. %	
Flash point:	-80 °C	
Auto-ignition temperature:	No information available.	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):		DIN 19268
Viscosity / kinematic:	> 20,5 mm²/s	
Water solubility:	The study does not need to be conducted	
2	because the substance is known to be	
	insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Vapour pressure:	No information available.	
Density (at 20 °C):	0,816 g/cm³	DIN 51757
Relative vapour density:	not determined	
2. Other information		
Information with regard to physical h	azard classes	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	not determined	
Sublimation point:	No information available.	



900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

No information available.

No information available.

No information available.

Page 7 of 12

Softening point: Viscosity / dynamic: Flow time:

Further Information

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 8 of 12

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
90622-57-4	4 Hydrocarbons, C11-C12, isoalkanes, <2% aromatics						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1995)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1993)	OECD Guideline 402	
	inhalation (4 h) vapour	LC50	>25 mg/l	Rat			
68037-01-4	Dec-1-ene, homopolyme	r, hydrogen	ated				
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,2	Rat			
97675-24-6	Benzene, C9-C13-alkyl o	derivs., distr	ı. residues, sı	ulfonated, calcium salts			
	oral	LD50 mg/kg	> 5000	Rat	Study report (1998)	OECD Guideline 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402	
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. No information available.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. No information available.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. No information available.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards



900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 9 of 12

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity: The classification criteria for this hazard class are not met by definition.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
90622-57-4	Hydrocarbons, C11-C12,	isoalkanes,	, <2% aromat	ics				
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Study report; company data (1995)	OECD Guideline 201	
	Fish toxicity	NOEC mg/l	0,209	28 d	Oncorhynchus mykiss	Company report (2010)	The aquatic toxicity was estimated by a	
	Crustacea toxicity	NOEC	> 1 mg/l	21 d	Daphnia magna	Study report; company data (2012)	OECD Guideline 211	
68037-01-4	Dec-1-ene, homopolymer, hydrogenated							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna			
97675-24-6	Benzene, C9-C13-alkyl de	erivs., distn	. residues, su	lfonated,	calcium salts			
	Acute fish toxicity	LL50 mg/l	> 10000	96 h	Cyprinodon variegatus	Study report (1986)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2005)	OECD Guideline 201	
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1993)	EPA OTS 797.1300	

12.2. Persistence and degradability

The product has not been tested. There are no data available on the mixture itself. AOX (mg/l): 0

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
74-98-6	propane	2,36
106-97-8	butane	2,89
97675-24-6	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts	10,68
BCF		÷

Bol				
CAS No	Chemical name	BCF	Species	Source
90622-57-4	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	144,3	calculated	Other company data (



900 Service Spray MP90000100D

Revision date: 18.11.2024

Product code: 1100981

Page 10 of 12

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

No special environmental measures are necessary.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
14.4. Packing group:	-
Hazard label:	2.1



according to UK REACH Regulation

	900 Service Spray MP90000100D	
Revision date: 18.11.2024	Product code: 1100981	Page 11 of 12
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity:	1 L	
Excepted quantity:	E0	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Marine pollutant:	no	
Special Provisions:	63, 190, 277, 327, 344, 381,959	
Limited quantity:	1000 mL	
Excepted quantity:		
EmS:	F-D, S-U	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Special Provisions:	A145 A167 A802	
Limited quantity Passenger:	30 kg G	
Passenger LQ: Excepted quantity:	Y203 E0	
IATA-packing instructions - Passenger:	203	
IATA-max. quantity - Passenger:	75 kg	
IATA-packing instructions - Cargo:	203	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards	C C	
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user Warning: Flammable gases.		
<u>14.7. Maritime transport in bulk according 1</u>	a INO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	Ilations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII)		
Entry 3, Entry 28, Entry 40	•	
Directive 2010/75/EU on industrial	No information available.	
emissions:		
Directive 2004/42/EC on VOC in	No information available.	
paints and varnishes:		
Additional information		
Safety Data Sheet according to Regul	ation (EC) No. 1907/2006 (REACH)	
Aerosol Directive (75/324/EEC)		

National regulatory information



TONAP	according to UK REACH Regulation					
900 Service Spray MP90000100D						
Revision date: 18.11.202	4 Product code: 1100981 Page	e 12 of 12				
Employment restriction	ns: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).					
Water hazard class (I						
15.2. Chemical safety as	sessment					
Chemical safety a	ssessments for substances in this mixture were not carried out.					
SECTION 16: Other in	formation					
Changes This data sheet co	ontains changes from the previous version in section(s): 1,2.					
concerning the Int RID: Règlement in (Regulations Con- IATA: Internationa IMDG: Internationa GHS: Globally Ha EINECS: Europea CAS: Chemical A DNEL/DMEL: Der WEL (UK): Workp TWA (EC): Time- ATE: Acute Toxic STEL (EC) Short LC50: Lethal Con EC50: means EC	able gases able liquids on hazard ensitisation upden sur le transport des marchandises dangereuses par Route (European Agreement ernational Carriage of Dangerous Goods by Road) iternational concernant le transport des marchandises dangereuses par chemin de fer cerning the International Transport of Dangerous Goods by Rail) I Air Transport Association al Maritime Code for Dangerous Goods rmonized System of Classification and Labelling of Chemicals in Inventory of Existing Commercial Chemical Substances n List of Notified Chemical Substances bstracts Service (division of the American Chemical Society) ived No Effect Level / Derived Minimal Effect Level lace Exposure Limits Weighted Average ty Estimate Term Exposure Limit centration al Effective Concentration 250 in terms of reduction of growth rate					
Relevant H and EUH H220 H222 H226 H229 H280 H304 H317 EUH066	statements (number and full text) Extremely flammable gas. Extremely flammable aerosol. Flammable liquid and vapour. Pressurised container: May burst if heated. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.					
present-day know named in this safe transferred to othe	ation describes exclusively the safety requirements of the product and is based on our ledge. The information is intended to give you advice about the safe handling of the product ety data sheet, for storage, processing, transport and disposal. The information cannot be er products. In the case of mixing the product with other products or in the case of formation on this safety data sheet is not necessarily valid for the new made-up material.					

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)