Product Information



Human Technology[®] 903 Penetrating Oil

Innovative, synthetic rust-loosening fluid with excellent creep properties. Loosens oxidised screw and plug connections in seconds. Excellent reliability during dismantling due to special lubricant.



Nonfood Compounds Program Listed H1 144 900

TUNAP Human Technology®:

- ✓ All ingredients independently tested by NSF*
- ✓ Free from allergenic dyes and fragrances
- ✓ Free from neurotoxic n-hexane
- ✓ No indicators of toxicological effects
- *NSF International, The Public Health and Safety CompanyTM

Properties

- Very good creeping and penetration effects through use of new types of active solvents
- ✓ Does not contain any n-hexane containing solvent
- ✓ Releases oxidised screw and plug connections in seconds
- ✓ Effectively repels moisture and wetness
- Excellent security for disassembly operations through use of a special lubricant
- ✓ Can be used on light and non-ferrous metals
- ✓ Can be used at higher temperatures

Application area

- ✓ For dismantling screw and plug connections stuck tight due to rusting (e.g. in an exhaust gas area)
- ✓ Suitable for releasing steering rods, joints and locking cylinders
- Drastically reduces the effect on human health through use of Human Technology[®]. It is therefore
 particularly suitable for use in vehicle interiors.

Instructions

Refer to the product information before use. Shake can before use. Remove rough corrosion and loose corroded parts mechanically. Spray parts to be loosened until they are saturated.

Notice

- If the product is to be used in the food-processing industry, only the minimum quantity that is technically necessary may be used.
- If the product is to be used as an anti-corrosive film, it must be completely removed before the device in question is used again.

Product Description	Contents	Packaging Unit	Article Number
Penetrating Oil	400 ml	12 PCS	MP90300400AB



The information herein is the product of careful testing. It is to be considered a recommendation compliant with state of the art knowledge where use is concerned. We cannot accept any liability whatsoever in view of the multiplicity of possible uses and working methods. No contractual relationship is hence implied and no ancillary obligations arise from any contract of sale that may be made. Product information is only valid in its latest current form. TUNAP (U.K) Limited | Unit L4 Deacon Trading Estate, Morley Road, Tonbridge, Kent TN9 1RA | Telephone +44 (0) 1732 365163 | e-Mail: sales@tunap.co.uk