

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

909 Interior Complete MP90900500AB

UFI: WJS3-20PH-G00X-EFN4

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaner

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: TUNAP GmbH & Co. KG  
Street: Bürgermeister-Seidl-Str. 2  
Place: D-82515 Wolfratshausen  
Telephone: + 49 (0) 8171/1600 - 0  
E-mail: sdb@tunap.com  
Internet: www.tunap.com

Telefax: + 49 (0) 8171/1600 - 40

**Supplier**

Company name: TUNAP (UK) Limited  
Street: Unit 12 Tonbridge Trade Park, Ingot Way  
Place: GB Tonbridge, Kent. TN9 1GN  
Telephone: +44 (0)1732 365163  
E-mail: sdb@tunap.com  
Internet: www.tunap.co.uk

**1.4. Emergency telephone number:** 111 NHS (National Health Service)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****GB CLP Regulation****Signal word:** Danger**Pictograms:****Hazard statements**

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.



# Safety Data Sheet

according to UK REACH Regulation

## 909 Interior Complete MP90900500AB

Revision date: 11.10.2023

Product code: 1101639

Page 2 of 12

P260 Do not breathe spray.  
P271 Use only outdoors or in a well-ventilated area.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Relevant ingredients

| CAS No   | Chemical name                             |              |                  | Quantity    |
|----------|---|--------------|------------------|-------------|
|          | EC No                                     | Index No     | REACH No         |             |
|          | Classification (GB CLP Regulation)        |              |                  |             |
| 115-10-6 | dimethyl ether                            |              |                  | 10 - < 20 % |
|          | 204-065-8                                 | 603-019-00-8 | 01-2119472128-37 |             |
|          | Flam. Gas 1, Press. Gas (Liq.); H220 H280 |              |                  |             |
| 75-28-5  | isobutane                                 |              |                  | 10 - < 20 % |
|          | 200-857-2                                 | 601-004-00-0 | 01-2119485395-27 |             |
|          | Flam. Gas 1, Press. Gas (Liq.); H220 H280 |              |                  |             |
| 74-98-6  | propane                                   |              |                  | 1 - < 3 %   |
|          | 200-827-9                                 | 601-003-00-5 | 01-2119486944-21 |             |
|          | Flam. Gas 1, Press. Gas (Liq.); H220 H280 |              |                  |             |
| 106-97-8 | butane                                    |              |                  | 0.1 - < 1 % |
|          | 203-448-7                                 | 601-004-00-0 | 01-2119474691-32 |             |
|          | Flam. Gas 1, Press. Gas (Liq.); H220 H280 |              |                  |             |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No                                    | Chemical name  | Quantity    |
|----------|--|----------------|-------------|
|          | Specific Conc. Limits, M-factors and ATE |                |             |
| 115-10-6 | 204-065-8                                | dimethyl ether | 10 - < 20 % |
|          | inhalation: LC50 = 164000 ppm (gases)    |                |             |
| 106-97-8 | 203-448-7                                | butane         | 0.1 - < 1 % |
|          | inhalation: LC50 = 658 ppm (gases)       |                |             |

#### Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % aliphatic hydrocarbons, preservation agents (Phenoxyethanol).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.



## Safety Data Sheet

according to UK REACH Regulation

### 909 Interior Complete MP90900500AB

Revision date: 11.10.2023

Product code: 1101639

Page 3 of 12

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Headache, nausea, dizziness, fatigue, skin irritation

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Danger of bursting container.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

##### **For non-emergency personnel**

First aider: Pay attention to self-protection!

##### **For emergency responders**

Fight fire with normal precautions from a reasonable distance.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 4 of 12

**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

**Advice on protection against fire and explosion**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Advice on general occupational hygiene**

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

**Further information on handling**

Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Observe legal regulations and provisions.

**Hints on joint storage**

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Further information on storage conditions**

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

| CAS No   | Substance      | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|----------|----------------|-----|-------------------|-----------|---------------|--------|
| 106-97-8 | Butane         | 600 | 1450              |           | TWA (8 h)     | WEL    |
|          |                | 750 | 1810              |           | STEL (15 min) | WEL    |
| 115-10-6 | Dimethyl ether | 400 | 766               |           | TWA (8 h)     | WEL    |
|          |                | 500 | 958               |           | STEL (15 min) | WEL    |

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 5 of 12

**DNEL/DMEL values**

| CAS No                   | Substance      | Exposure route | Effect   | Value                  |
|--------------------------|----------------|----------------|----------|------------------------|
| 115-10-6                 | dimethyl ether |                |          |                        |
| Worker DNEL, long-term   |                | inhalation     | systemic | 1894 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |                | inhalation     | systemic | 471 mg/m <sup>3</sup>  |

**PNEC values**

| CAS No   | Substance      | Value       |
|--|----------------|-------------|
| 115-10-6   | dimethyl ether |             |
| Freshwater                                       |                | 0,155 mg/l  |
| Freshwater (intermittent releases)               |                | 1,549 mg/l  |
| Marine water                                     |                | 0,016 mg/l  |
| Freshwater sediment                              |                | 0,681 mg/kg |
| Marine sediment                                  |                | 0,069 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |                | 160 mg/l    |
| Soil   |                | 0,045 mg/kg |

**Additional advice on limit values**

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

- blood (B)
- Urine (U)

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses.  
EN 166

**Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min  
Thickness of the glove material 0,45 mm  
EN ISO 374

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
When exceeding the relevant workplace exposure limits, note the following:  
Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 6 of 12

Filtering device with filter or ventilator filtering device of type: AX

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

**Environmental exposure controls**

Observe legal regulations and provisions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                 |        |
|-----------------|--------|
| Physical state: | liquid |
| Colour:         | grey   |
| Odour:          | orange |

**Test method**

|   |  |
|---|--|
| Melting point/freezing point:                             | not determined   |
| Boiling point or initial boiling point and boiling range: | -40 °C   |
| Flammability:   | not applicable<br>not applicable   |
| Lower explosion limits:                                   | 1,5 vol. %   |
| Upper explosion limits:                                   | 32 vol. %  |
| Flash point:  | -80 °C   |
| Decomposition temperature:                                | not determined   |
| pH-Value (at 20 °C):                                      | 6 DIN 19268  |
| Water solubility:   | The study does not need to be conducted because the substance is known to be insoluble in water. |
| Solubility in other solvents                              | not determined   |
| Partition coefficient n-octanol/water:                    | not determined   |
| Vapour pressure:  | not determined   |
| Density (at 20 °C):                                       | 1,04 g/cm <sup>3</sup> DIN 51757   |
| Relative vapour density:                                  | not determined   |

**9.2. Other information****Information with regard to physical hazard classes**

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Evaporation rate: not determined

Solid content: not determined

**Further Information**

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**



## Safety Data Sheet

according to UK REACH Regulation

### 909 Interior Complete MP90900500AB

Revision date: 11.10.2023

Product code: 1101639

Page 7 of 12

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

#### **10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

#### **10.5. Incompatible materials**

Oxidizing agents. Pyrophoric or self-heating substances.

#### **10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with other chemicals.

## SECTION 11: Toxicological information

### **11.1. Information on hazard classes as defined in GB CLP Regulation**

#### **Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No   | Chemical name        |             |         |        |                     |                    |
|----------|----------------------|-------------|---------|--------|---------------------|--------------------|
|          | Exposure route       | Dose        | Species | Source | Method              |                    |
| 115-10-6 | dimethyl ether       |             |         |        |                     |                    |
|          | inhalation (4 h) gas | LC50<br>ppm | 164000  | Rat    | Study report (1980) | OECD Guideline 403 |
| 106-97-8 | butane               |             |         |        |                     |                    |
|          | inhalation (4 h) gas | LC50        | 658 ppm | Rat    | GESTIS              |                    |

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 8 of 12

**Information on likely routes of exposure**

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

**Specific effects in experiment on an animal**

No information available.

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information**

No information available.

**Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.



**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 9 of 12

| CAS No   | Chemical name            |                    |           |                            |  |  |
|----------|--------------------------|--------------------|-----------|----------------------------|--|--|
|          | Aquatic toxicity         | Dose               | [h]   [d] | Species                    | Source                                   | Method                                   |
| 115-10-6 | dimethyl ether           |                    |           |                            |  |  |
|          | Acute fish toxicity      | LC50 > 4100 mg/l   | 96 h      | Poecilia reticulata        | Study report (1988)                      | other: NEN 6504 Water - Determination of |
|          | Acute algae toxicity     | ErC50 154,917 mg/l | 96 h      | green algae                | QSAR result (2009)                       | other: Data generated using ECOSAR v1.00 |
|          | Acute crustacea toxicity | EC50 > 4400 mg/l   | 48 h      | Daphnia magna              | Study report (1988)                      | other: NEN6501: Water -Determination of  |
| 75-28-5  | isobutane                |                    |           |                            |  |  |
|          | Acute fish toxicity      | LC50 91,42 mg/l    | 96 h      | Fish, no other information | United States Environmental Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50 19,37 mg/l   | 96 h      | Algae                      | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50 69,43 mg/l    | 48 h      | Daphnia sp.                | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |
| 74-98-6  | propane                  |                    |           |                            |  |  |
|          | Acute fish toxicity      | LC50 49,9 mg/l     | 96 h      | Fish, no other information | United States Environmental Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50 19,37 mg/l   | 96 h      | Algae                      | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50 69,43 mg/l    | 48 h      | Daphnia sp.                | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |
| 106-97-8 | butane                   |                    |           |                            |  |  |
|          | Acute fish toxicity      | LC50 49,9 mg/l     | 96 h      | Fish, no other information | United States Environmental Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50 19,37 mg/l   | 96 h      | Algae                      | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50 69,43 mg/l    | 48 h      | Daphnia sp.                | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00.  |

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.



## Safety Data Sheet

according to UK REACH Regulation

### 909 Interior Complete MP90900500AB

Revision date: 11.10.2023

Product code: 1101639

Page 10 of 12

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name  | Log Pow |
|----------|----------------|---------|
| 115-10-6 | dimethyl ether | 0,07    |
| 75-28-5  | isobutane      | 1,09    |
| 74-98-6  | propane        | 1,09    |
| 106-97-8 | butane         | 1,09    |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|  |                 |
|--|-----------------|
| <b>14.1. UN number or ID number:</b>     | UN 1950         |
| <b>14.2. UN proper shipping name:</b>    | AEROSOLS        |
| <b>14.3. Transport hazard class(es):</b> | 2               |
| <b>14.4. Packing group:</b>              | -               |
| Hazard label:                            | 2.1             |
| Classification code:                     | 5F              |
| Special Provisions:                      | 190 327 344 625 |
| Limited quantity:                        | 1 L             |
| Excepted quantity:                       | E0              |
| Transport category:                      | 2               |

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 11 of 12

Tunnel restriction code: D

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1  
Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
Hazard label: 2.1  
Marine pollutant: no  
Special Provisions: 63, 190, 277, 327, 344, 381,959  
Limited quantity: 1000 mL  
Excepted quantity: E0  
EmS: F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS, flammable  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
Hazard label: 2.1  
Special Provisions: A145 A167 A802  
Limited quantity Passenger: 30 kg G  
Passenger LQ: Y203  
Excepted quantity: E0  
IATA-packing instructions - Passenger: 203  
IATA-max. quantity - Passenger: 75 kg  
IATA-packing instructions - Cargo: 203  
IATA-max. quantity - Cargo: 150 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Flammable gases.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Restrictions on use (REACH, annex XVII):  
Entry 3, Entry 28, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

**Safety Data Sheet**

according to UK REACH Regulation

**909 Interior Complete MP90900500AB**

Revision date: 11.10.2023

Product code: 1101639

Page 12 of 12

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)  
Aerosol Directive (75/324/)

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,9,11.

**Abbreviations and acronyms**

Flam. Gas: Flammable gases

Aerosol: Aerosols

Press. Gas (Liq.): Liquefied gas

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

**Relevant H and EUH statements (number and full text)**

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*