

according to Regulation (EC) No 1907/2006

DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DRIVE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

1.3. Details of the supplier of the safety data sheet

Manufacturer		
Company name:	TUNAP GmbH & Co. KG	
Street:	Bürgermeister-Seidl-Str. 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+ 49 (0) 8171/1600 - 0	Telefax: + 49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
Supplier		
Company name:	TUNAP UK Limited	
Street:	Unit L4 Deacon Trading Estate, Morley Road	
Place:	GB Tonbridge, Kent. TN9 1RA	
Telephone:	+44 (0)1732 365163	
e-mail:	sdb@tunap.com	
Internet:	www.tunap.co.uk	
1.4. Emergency telephone	111 NHS (National Health Service)	
number:		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates Hydrocarbons C7-C9, iso-alkanes

Signal word: Danger





2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	•	•	
64742-48-9	9 Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates		S	50 - <= 100 %
	919-857-5		01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox.	1; H226 H336 H304 EUH066		
90622-56-3	Hydrocarbons C7-C9, iso-alkanes			25 - < 50 %
	921-728-3		01-2119471305-42	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 3 of 11

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.



according to Regulation (EC) No 1907/2006

DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, <	2 % aromates		
Worker DNEL,	long-term	inhalation	systemic	1500 mg/m³
Worker DNEL,	long-term	dermal	systemic	300 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	900 mg/m³
Consumer DN	EL, long-term	dermal	systemic	300 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	300 mg/kg bw/day
90622-56-3	90622-56-3 Hydrocarbons C7-C9, iso-alkanes			
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m³
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	608 mg/m³
Consumer DNEL, long-term		dermal	systemic	699 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	699 mg/kg bw/day



according to Regulation (EC) No 1907/2006

DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 5 of 11

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid transparent mild		
			Test method
pH-Value (at 20 °C):		not determined	DIN 19268
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		90 °C	
Sublimation point:		No information available.	
Softening point:		No information available.	



according to Regulation (EC) No 1907/2006

DRIVE CLEANER				
Print date: 23.01.2021	Product code: 1101707	Page 6 of 11		
Pour point:	No information available.			
Flash point:	-7 °C	ISO 3679		
Sustaining combustion:	No data available			
Flammability				
Solid:	No information available.			
Gas:	No information available.			
Lower explosion limits:	0,6 vol. %			
Upper explosion limits:	7 vol. %			
Ignition temperature:	> 200 °C			
Auto-ignition temperature				
Solid:	No information available.			
Gas:	No information available.			
Decomposition temperature:	No information available.			
Oxidizing properties Not oxidising.				
Vapour pressure:	not determined			
Density (at 20 °C):	0,73 g/cm³	DIN 51757		
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.			
Solubility in other solvents not determined				
Partition coefficient:	not determined			
Viscosity / dynamic:		DIN 53019-1		
Viscosity / kinematic: (at 40 °C)	< 7 mm²/s	DIN EN ISO 3104		
Flow time: (at 20 °C)		DIN EN ISO 2431		
Vapour density:	not determined			
Evaporation rate:	not determined			
9.2. Other information				
Solid content:	not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.



according to Regulation (EC) No 1907/2006

DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 7 of 11

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes,	iso-alkanes	, cyclics, < 2 % ar	omates		
	oral	LD50	> 5000 mg/kg	Rat	Study report (1988)	
	dermal	LD50	> 2000 mg/kg	Rat	Study report (1989)	
	inhalation (4 h) vapour	LC50	4951 mg/l	Rat		
90622-56-3	-56-3 Hydrocarbons C7-C9, iso-alkanes					
	oral	LD50 mg/kg	> 7100 - 7800	Rat	Study report (1961)	
	dermal	LD50 mg/kg	> 2200 - 2500	Rabbit	Study report (1961)	
	inhalation (4 h) vapour	LC50	> 21 mg/l	Rat	Study report (1985)	
	inhalation (4 h) aerosol	LC50	>9,4 mg/l	Rat		

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates; Hydrocarbons C7-C9, iso-alkanes)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.



DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 8 of 11

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source		
64742-48-9	Hydrocarbons, C9 - C11, n-a	alkanes, iso-all	kanes, cyclics, < 2	% aroma	ates			
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier		
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna			
90622-56-3	Hydrocarbons C7-C9, iso-all	Hydrocarbons C7-C9, iso-alkanes						
	Acute fish toxicity	LC50	1000 mg/l	96 h	Oncorhynchus mykiss	SIDS Initial Assessment Report For SIAM		
	Acute algae toxicity	ErC50	1000 mg/l	72 h	Pseudokirchneriella subcapitata	SIDS Initial Assessment Report For SIAM		
	Acute crustacea toxicity	EC50	1000 mg/l	48 h	Daphnia magna	Publication (1986)		
	Fish toxicity	NOEC	0,778 mg/l	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2009)		
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	CAS No Chemical name			Log Pow	
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates			5	
BCF					•
CAC No.	Chamical name	DOF	Crasica	Course	

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	144,3	calculated	Other company data (

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.



DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 9 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

I and transport (ADR/RID)

SECTION 14: Transport information

Lanu transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3295
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	640C
Limited quantity:	1L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 3295
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	640C
Limited quantity:	1L
Excepted quantity:	E2
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3295
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons C7-C9, iso-alkanes)



according to Regulation (EC) No 1907/2006

DRIVE CLEANER			
Print date: 23.01.2021	Product code: 1101707	Page 10 of 11	
14.3. Transport hazard class(es):	3		
14.4. Packing group:	ll		
Hazard label:	3		
Marine pollutant:	yes		
Special Provisions:	-		
Limited quantity: Excepted quantity:	1 L E2		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)	,		
<u>14.1. UN number:</u>	UN 3295		
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S.		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Special Provisions:	A3 A324		
Limited quantity Passenger:	1 L		
Passenger LQ:	Y341		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:	353		
IATA-max. quantity - Passenger:	5 L		
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	364 60 L		
14.5. Environmental hazards	00 L		
ENVIRONMENTALLY HAZARDOUS:	Yes		
Danger releasing substance:	Hydrocarbons C7-C9, iso-alkanes		
14.6. Special precautions for user Warning: Combustible liquid.			
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental requ	lations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVII)	:		
Entry 3, Entry 28			
2010/75/EU (VOC):	No information available.		
2004/42/EC (VOC):	No information available.		
Additional information			
Safety Data Sheet according to Regul	ation (EC) No. 1907/2006 (REACH)		
National regulatory information			
Water hazard class (D):	1 - slightly hazardous to water		
SECTION 16: Other information			

Changes

This data sheet contains changes from the previous version in section(s): 9.



DRIVE CLEANER

Print date: 23.01.2021

Product code: 1101707

Page 11 of 11

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) 1.12-1-1-1.4

H225	Highly hammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)