



according to UK REACH Regulation

155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

155 Motor System MP15500300AB

UFI:

G0F2-30MD-800E-87KW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Additive

1.3. Details of the supplier of the safety data sheet

Manufacturer

manufacturer		
Company name:	TUNAP GmbH & Co. KG	
Street:	Bürgermeister-Seidl-Str. 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+ 49 (0) 8171/1600 - 0	Telefax: + 49 (0) 8171/1600 - 40
E-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
Supplier		
Company name:	TUNAP (UK) Limited	
Street:	Unit 12 Tonbridge Trade Park, Ingot Way	
Place:	GB Tonbridge, Kent. TN9 1GN	
Telephone:	+44 (0)1732 365163	
E-mail:	sdb@tunap.com	
Internet:	www.tunap.co.uk	
1.4. Emergency telephone	111 NHS (National Health Service)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Pictograms:





Hazard statements

Ρ

H319 H412	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary stateme	nts
P273	Avoid release to the environment.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



155 Motor System MP15500300AB							
Revision date: 08.10.2024	Product code: 1102292	Page 2 of 14					
P337+P313 P501	If eye irritation persists: Get medical advice/attention. Dispose of contents/container according to the official regulations.						
Special labelling of cert	tain mixtures						
EUH208	Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydroger dithiophosphate. May produce an allergic reaction.	n					

2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name		Quantity			
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
64742-54-7	Baseoil - unspecified, Distillates (pe	etroleum), hydrotreated heavy paraf	finic	50 - < 100 %		
	265-157-1		01-2119484627-25			
	Asp. Tox. 1; H304					
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethy	lbutyl) bis(phosphorodithioate)		1 - < 3 %		
	218-679-9		01-2119953275-34			
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	hronic 2; H315 H318 H411				
68425-15-0	Polysulfides, di-tert-dodecyl			0.1 - < 1 %		
	270-335-7		01-2119540516-41			
	Skin Sens. 1B; H317					
128-39-2	2,6-di-tert-butylphenol		0.1 - < 1 %			
	204-884-0		01-2119490822-23			
	Skin Irrit. 2, Aquatic Acute 1, Aquat					
	Molybdenum trioxide, reaction proc	hydrogen dithiophosphate	0.1 - < 1 %			
	947-946-9		01-2120772600-59			
	Skin Irrit. 2, Skin Sens. 1B, Aquatic	-				
121158-58-5	phenol, dodecyl-, branched			< 0.1 %		
	310-154-3	604-092-00-9				
	Repr. 1B, Skin Corr. 1C, Eye Dam. H400 H410	1, Aquatic Acute 1, Aquatic Chronic	c 1; H360F H314 H318			
108-31-6	maleic anhydride			< 0.001 %		
	203-571-6	607-096-00-9				
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1A, STOT RE 1; H302 H314 H318 H334 H317 H372 EUH071					

Full text of H and EUH statements: see section 16.



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic	50 - < 100 %
	dermal: LD50 =	= >5000 mg/kg; oral: LD50 = >5000 mg/kg	
2215-35-2	218-679-9	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	1 - < 3 %
		0 = >20 mg/l (vapours); inhalation: LC50 = >5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = >2230 mg/kg	
68425-15-0	270-335-7	Polysulfides, di-tert-dodecyl	0.1 - < 1 %
	inhalation: LC5	;0 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
128-39-2	204-884-0	2,6-di-tert-butylphenol	0.1 - < 1 %
	dermal: LD50 =	= > 10000 mg/kg; oral: LD50 = > 5000 mg/kg	
121158-58-5	310-154-3	phenol, dodecyl-, branched	< 0.1 %
	Aquatic Acute 1 Aquatic Chronic	l; H400: M=10 c 1; H410: M=10	
108-31-6	203-571-6	maleic anhydride	< 0.001 %
	dermal: LD50 =	= 2620 mg/kg; oral: LD50 = 400 mg/kg_Skin Sens. 1A; H317: >= 0,001 - 100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 4 of 14

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.



according to UK REACH Regulation

155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 5 of 14

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-31-6	Maleic anhydride	-	1		TWA (8 h)	WEL
		-	3		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
128-39-2	2,6-di-tert-butylphenol							
Worker DNEL,	long-term	inhalation	systemic	70,61 mg/m³				
Worker DNEL,	long-term	dermal	systemic	11,25 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	20,9 mg/m³				
Consumer DNEL, long-term		dermal	systemic	6,75 mg/kg bw/day				
Consumer DN	EL, long-term	oral	systemic	6,75 mg/kg bw/day				
	Molybdenum trioxide, reaction products with bis[O,O-bis(2-	ethylhexyl)] hydrogen d	ithiophosphate					
Worker DNEL,	long-term	inhalation	systemic	4,93 mg/m ³				
Worker DNEL, long-term		dermal	systemic	1,4 mg/kg bw/day				
Consumer DNEL, long-term		inhalation	systemic	0,87 mg/m³				
Consumer DN	EL, long-term	dermal	systemic	0,5 mg/kg bw/day				
Consumer DN	EL, long-term	oral	systemic	0,5 mg/kg bw/day				

PNEC values

CAS No	Substance				
Environmen	Environmental compartment Value				
128-39-2	2,6-di-tert-butylphenol				
Freshwater		0,001 mg/l			
Freshwater	(intermittent releases)	0,004 mg/l			
Marine water		0 mg/l			
Freshwater	sediment	0,317 mg/kg			
Marine sedir	nent	0,032 mg/kg			
Secondary p	poisoning	60 mg/kg			
Micro-organisms in sewage treatment plants (STP)		10 mg/l			
Soil		0,697 mg/kg			



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 6 of 14

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid brown
Odour:	like mineral oil
Boiling point or initial boiling point and boiling range: Flammability:	
Flash point: pH-Value (at 20 °C):	
Viscosity / kinematic:	

Test method

200 °C

not determined not applicable 70 °C

135 mm²/s DIN EN ISO 3104

No information available. 0,8811 g/cm³ DIN 51757

Density (at 20 °C):

(at 40 °C) Vapour pressure:

TUNAP

Safety Data Sheet

according to UK REACH Regulation

155 Motor Syste	em MP15500300AB
-----------------	-----------------

Revision date: 08.10.2024

Product code: 1102292

No data available

DIN 53019-1

No information available. No information available.

No information available.

Page 7 of 14

<u>9.2. Other information</u> Information with regard to physical hazard classes Sustaining combustion:

Other safety characteristics Sublimation point: Softening point:

Pour point: Viscosity / dynamic:

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to UK REACH Regulation

155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 8 of 14

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
64742-54-7	Baseoil - unspecified, Di	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic								
	oral	LD50 mg/kg	>5000	Rat						
	dermal	LD50 mg/kg	>5000	Rabbit						
2215-35-2	zinc 0,0,0',0'-tetrakis(1	,3-dimethylb	outyl) bis(pho	sphorodithioate)						
	oral	LD50 mg/kg	>2230	Rat						
	dermal	LD50 mg/kg	>25000	Rabbit						
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat						
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat						
68425-15-0	Polysulfides, di-tert-dodecyl									
	oral	LD50 mg/kg	>2000	Rat						
	dermal	LD50 mg/kg	>2000	Rabbit						
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat						
128-39-2	2,6-di-tert-butylphenol									
	oral	LD50 mg/kg	> 5000	Rat	Study report (1991)	OECD Guideline 401				
	dermal	LD50 mg/kg	> 10000	Rabbit						
108-31-6	maleic anhydride	_								
	oral	LD50 mg/kg	400	Rat	GESTIS					
	dermal	LD50 mg/kg	2620	Rabbit	GESTIS					

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

- No indications of human carcinogenicity exist.
- No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 9 of 14

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact. Reference to other sections: 2.1, 4.2.

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to UK REACH Regulation

155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 10 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic								
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna (Big water flea)				
2215-35-2	zinc 0,0,0',0'-tetrakis(1,	3-dimethylb	utyl) bis(phos	phorodit	hioate)				
	Acute fish toxicity	LC50	46 mg/l	96 h	Cyprinus carpio (Common Carp)				
	Acute algae toxicity	ErC50	21 mg/l	72 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50	23 mg/l	48 h	Daphnia magna (Big water flea)				
68425-15-0	Polysulfides, di-tert-dodeo	syl							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Selenastrum capricornutum				
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)				
128-39-2	2,6-di-tert-butylphenol								
	Acute fish toxicity	LC50	1,4 mg/l	96 h	Pimephales promelas	REACh Registration Dossier	OECD Guideline 204		
	Acute algae toxicity	ErC50	3,6 mg/l	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50 mg/l	0,45	48 h	Daphnia magna	REACh Registration Dossier	other: US EPA TSCA as cited Fed. Registe		
	Crustacea toxicity	NOEC mg/l	0,035	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	a mixed population of activated sewage sludge micr	REACh Registration Dossier	OECD Guideline 209		
	Molybdenum trioxide, rea	ction produ	cts with bis[O	,O-bis(2-					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209		
108-31-6	maleic anhydride					•			
	Acute algae toxicity	ErC50	29 mg/l	72 h	Desmodesmus subspicatus	IUCLID			

12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 11 of 14

Partition coefficient n-octanol/water

CAS No	Chemical name			Log Pow	
128-39-2	2,6-di-tert-butylphenol			4,5	
BCF	•				
CAS No	Chemical name	BCF	Species	Source	
128-39-2	2,6-di-tert-butylphenol	135 - 360	Cyprinus carpio	Publication (1992)	

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.

Revision No: 1,09 - Replaces version: 1,08

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.



155 Motor System MP15500300AB			
Revision date: 08.10.2024	Product code: 1102292	Page 12 of 14	
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group: Marine pollutant:	No dangerous good in sense of this transport regulation. no		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
No dangerous good in sense of this t			
14.7. Maritime transport in bulk according			
No dangerous good in sense of this t	ransport regulation.		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental rec	ulations/legislation specific for the substance or mixture		
EU regulatory information			
Authorisations (REACH, annex XIV):			
Substances of very high concern, SV	/HC (REACH, article 59):		
phenol, dodecyl-, branched			
Restrictions on use (REACH, annex XVI	I):		
Entry 3, Entry 30, Entry 75			
Directive 2010/75/EU on industrial emissions:	No information available.		
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.		
Additional information			
Safety Data Sheet according to Regu	ulation (EC) No. 1907/2006 (REACH)		
National regulatory information			
Water hazard class (D):	2 - obviously hazardous to water		
CECTION 40: Other information			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,11.



155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 13 of 14

Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate ATEL (EC): Short Term Exposure Limit LC50: Lethal Concentration EC50:half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Eye Irrit. 2; H319	Calculation method	
Aquatic Chronic 3; H412	Calculation method	

Relevant H and EUH statements (number and full text)

-		
	H302	Harmful if swallowed.
	H304	May be fatal if swallowed and enters airways.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H360F	May damage fertility.
	H372	Causes damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	H413	May cause long lasting harmful effects to aquatic life.
	EUH071	Corrosive to the respiratory tract.
	EUH208	Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.



according to UK REACH Regulation

155 Motor System MP15500300AB

Revision date: 08.10.2024

Product code: 1102292

Page 14 of 14

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)