

according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

187 System Agent for Winter Use MP18700300A

UFI:

GKW4-K09G-F00U-9RDF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Additive

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
E-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Acute Tox. 4; H332 Asp. Tox. 1; H304 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics 2-Ethylhexyl nitrate Hydrocarbons, C10, aromatics, >1% naphthalene Signal word: Danger

Pictograms:



Hazard statements

H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe vapours.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024	Product code: 1102342	Page 2 of 13
P304+P340 P501	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Dispose of contents/container according to the official regulations.	
Special labelling of cert		

Repeated exposure may cause skin dryness or cracking.

EUH066

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)			
64742-48-9	Hydrocarbons, C10-C13, n-alkanes	s, isoalkanes, cyclics, <2% aromatics	3	50 - < 100 %	
	918-481-9		01-2119457273-39		
	Asp. Tox. 1; H304 EUH066				
27247-96-7	2-Ethylhexyl nitrate		25 - < 50 %		
	248-363-6		01-2119539586-27		
	Acute Tox. 4, Acute Tox. 4, Acute EUH066	2 H302 H411 EUH044			
	Hydrocarbons, C10, aromatics, >1		1 - < 3 %		
	919-284-0		01-2119463588-24		
	STOT SE 3, Asp. Tox. 1, Aquatic C				
91-20-3	naphthalene		0.1 - < 1 %		
	202-049-5	601-052-00-2			
	Carc. 2, Acute Tox. 4, Aquatic Acu	H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE CAS No EC No Chemical name Quantity Specific Conc. Limits. M-factors and ATE 64742-48-9 918-481-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics 50 - < 100 % inhalation: LC50 = 4951 mg/l (vapours); dermal: LD50 = >3160 mg/kg; oral: LD50 = >8000 mg/kg 27247-96-7 248-363-6 2-Ethylhexyl nitrate 25 - < 50 % inhalation: LC50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = >4820 mg/kg; oral: LD50 = >9640 mg/kg 919-284-0 Hydrocarbons, C10, aromatics, >1% naphthalene 1 - < 3 % inhalation: LC50 = >4778 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 10650 mg/kg 91-20-3 naphthalene 202-049-5 0.1 - < 1 % dermal: LD50 = 16000 mg/kg; oral: LD50 = 490 mg/kg

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 3 of 13

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.



187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 4 of 13

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
91-20-3	Naphthalene	10	50		TWA (8 h)	EU



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
27247-96-7	2-Ethylhexyl nitrate			
Worker DNEL,	long-term	inhalation	systemic	0,35 mg/m³
Worker DNEL,	long-term	dermal	systemic	1 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,025 mg/kg bw/day
	Hydrocarbons, C10, aromatics, >1% naphthalene			
Worker DNEL,	long-term	inhalation	systemic	151 mg/m³
Worker DNEL,	long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	32 mg/m³
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day
		-		

PNEC values

CAS No	Substance					
Environmenta	Environmental compartment Value					
27247-96-7	27247-96-7 2-Ethylhexyl nitrate					
Freshwater		0,0008 mg/l				
Marine water 0,00008 mg/l						
Freshwater sediment 0,00074 mg/kg						
Marine sediment		0,00074 mg/kg				
Micro-organisms in sewage treatment plants (STP)		10 mg/l				
Soil	Soil					

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166 Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 6 of 13

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	slightly yellow	
Odour:	solvent like	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	100 °C	
boiling range:		
Flammability:	not applicable	
	not applicable	
Lower explosion limits:	0,5	
Upper explosion limits:	7	
Flash point:	62 °C	ISO 3679
Auto-ignition temperature:	No information available.	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):		
Viscosity / kinematic:	< 20,5 mm²/s	DIN EN ISO 3104
(at 40 °C) Water colubility	The study does not need to be conducted	
Water solubility:	The study does not need to be conducted because the substance is known to be	
	insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	0,845 g/cm³	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haz	ard classes	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A						
Revision date: 22.10.2024	Page 7 of 13					
Evaporation rate:	not determined					
Solvent separation test:	No information available.					
Solvent content:	No information available.					
Solid content:	not determined					
Sublimation point:	No information available.					
Softening point:	No information available.					
	No information available.					
Viscosity / dynamic:	No information available.	DIN 53019-1				
Flow time:	No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Harmful if swallowed. Harmful if inhaled.



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 8 of 13

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-48-9	Hydrocarbons, C10-C13	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics							
	oral	LD50 > mg/kg	>8000	Rat					
	dermal	LD50 > mg/kg	>3160	Rabbit					
	inhalation (4 h) vapour	LC50 4	4951 mg/l	Rat					
27247-96-7	2-Ethylhexyl nitrate								
	oral	LD50 > mg/kg	>9640	Rat					
	dermal	LD50 > mg/kg	>4820	Rabbit					
	inhalation (4 h) vapour	LC50	11 mg/l	Rat					
	inhalation dust/mist	ATE 1	1,5 mg/l						
	Hydrocarbons, C10, aror	natics, >1% na	phthalene	-					
	oral	LD50 1 mg/kg	10650	Rat	Study report (1991)	OECD Guideline 420			
	dermal	LD50 > mg/kg	> 2000	Rabbit	Study report (1995)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50 > mg/l	>4778	Rat					
91-20-3	naphthalene								
	oral	LD50 4 mg/kg	490	Rat					
	dermal	LD50 f mg/kg	16000	Rat					

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. Repeated exposure may cause skin dryness or cracking.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact. Reference to other sections: 2.1, 4.2.



187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 9 of 13

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics								
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna				
27247-96-7	2-Ethylhexyl nitrate								
	Acute fish toxicity	LC50	2 mg/l	96 h	Danio rerio	Study report (2010)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 12,6	72 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 12,6	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209		
	Hydrocarbons, C10, aromatics, >1% naphthalene								
	Acute fish toxicity	LC50	>1 mg/l	96 h	Pimephales promelas (fathead minnow)				
	Acute algae toxicity	ErC50 mg/l	> 1 - < 3	72 h	Pseudokirchneriella subcapitata	Study report (1993)	OECD Guideline 201		
	Acute crustacea toxicity	EC50	1,4 mg/l	48 h	Daphnia magna				
	Fish toxicity	NOEC mg/l	0,487	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
	Crustacea toxicity	NOEC mg/l	0,851	21 d	Daphnia magna	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
91-20-3	naphthalene								
	Acute fish toxicity	LC50 mg/l	0,213	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute crustacea toxicity	EC50	1,6 mg/l	48 h	Daphnia magna				

12.2. Persistence and degradability



187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 10 of 13

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics			
	OECD Guideline 301 F	89,8	28	ECHA
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
27247-96-7	2-Ethylhexyl nitrate	5,24
91-20-3	naphthalene	3,35

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information



187 System Agent for Winter Use MP18700300A			
Revision date: 22.10.2024	Product cod	le: 1102342	Page 11 of 13
Land transport (ADR/RID)			
14.1. UN number or ID number:	UN 3082		
14.2. UN proper shipping name:	ENVIRONMENTALL	Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
	(2-Ethylhexyl nitrate))	
14.3. Transport hazard class(es):	9		
14.4. Packing group:	III		
Hazard label:	9		
Classification code:	M6		
Special Provisions:	274 335 375 601		
Limited quantity: Excepted quantity:	5 L E1		
Transport category:	3		
Hazard No:	90		
Tunnel restriction code:	-		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 3082		
14.2. UN proper shipping name:	ENVIRONMENTALL	Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
	(2-Ethylhexyl nitrate)		
14.3. Transport hazard class(es):	9		
14.4. Packing group:	III		
Hazard label:	9		
Classification code:	M6		
Special Provisions:	274 335 375 601		
Limited quantity:	5 L		
Excepted quantity:	E1		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 3082		
14.2. UN proper shipping name:	(2-Ethylhexyl nitrate)	.Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S.)	
14.3. Transport hazard class(es):	9		
14.4. Packing group:	III		
Hazard label:	9		
Marine pollutant:	yes		
Special Provisions:	274, 335, 969		
Limited quantity:	5 L		
Excepted quantity: EmS:	E1		
	F-A, S-F		
Air transport (ICAO-TI/IATA-DGR)	1101 2002		
14.1. UN number or ID number:	UN 3082	Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
14.2. UN proper shipping name:	(2-Ethylhexyl nitrate)		
<u>14.3. Transport hazard class(es):</u>	9	,	
14.4. Packing group:	III		
Hazard label:	9		
Special Provisions:	A97 A158 A197		
Limited quantity Passenger:	30 kg		
Passenger LQ:	Y964		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:		964	
IATA-max. quantity - Passenger:		450 L	
IATA-packing instructions - Cargo:		964	
IATA-max. quantity - Cargo:		450 L	

14.5. Environmental hazards



according to UK REACH Regulation

187 System Agent for Winter Use MP18700300A		
Revision date: 22.10.2024	Product code: 1102342	Page 12 of 13
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	2-Ethylhexyl nitrate	
14.6. Special precautions for user No information available.		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 28, Entry 75		
Directive 2010/75/EU on industrial emissions:	No information available.	
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Additional information		
Safety Data Sheet according to Regula	tion (EC) No. 1907/2006 (REACH)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'work protection guideline' (94/33/EC). Observe employment restrict under the Maternity Protection Directive (92/85/EEC) for expectant nursing mothers.	tions
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for subst	ances in this mixture were not carried out.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,11.



187 System Agent for Winter Use MP18700300A

Revision date: 22.10.2024

Product code: 1102342

Page 13 of 13

Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Carc: Carcinogenicity STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate ATEL (EC): Short Term Exposure Limit LC50: Lethal Concentration EC50:half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)