

# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 1 of 15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

957 Engine Cleaner MF95700400AB

UFI: VRY2-T06S-Y00W-7T7G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Company name: TUNAP GmbH & Co. KG
Street: Buergermeister-Seidl-Strasse 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600-0 Telefax: +49 (0) 8171/1600-40

E-mail: sdb@tunap.com Internet: www.tunap.com

1.4. Emergency telephone 111 NHS (National Health Service)

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Asp. Tox. 1; H304 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### **GB CLP Regulation**

### Hazard components for labelling

Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

Signal word: Danger

Pictograms:





### **Hazard statements**

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

### **Precautionary statements**

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 2 of 15

allergic reaction.

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation	n)		
64742-47-8	Hydrocarbons, C12-C15, n-alkane	es, iso-alkanes, cyclics, < 2 % arom	nates	50 - < 100 %
	920-107-4		01-2119453414-43	
	Asp. Tox. 1; H304 EUH066		-	
68584-23-6	Benzenesulfonic acid, C10-16-alk	yl derivs., calcium salts		1 - < 3 %
	271-529-4		01-2119492627-25	
	Skin Sens. 1B; H317	•		
85940-28-9	Phosphorodithionsäure, gemischte Zinksalze	1 - < 3 %		
	288-917-4		01-2119521201-61	
	Skin Irrit. 2, Eye Dam. 1, Aquatic 0	Chronic 2; H315 H318 H411	•	
70024-69-0	Benzenesulfonic acid, mono-C16-	0.1 - < 1 %		
	274-263-7		01-2119492616-28	
	Skin Sens. 1B; H317	•		
61789-86-4	Sulfonic acids, petroleum, calcium	salts		0.1 - < 1 %
	263-093-9		01-2119488992-18	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc.	Specific Conc. Limits, M-factors and ATE					
64742-47-8	742-47-8 920-107-4 Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclics, < 2 % aromates						
	inhalation: LC 15000 mg/kg	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 15000 mg/kg					
68584-23-6	271-529-4	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	1 - < 3 %				
		50 = >5 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 ens. 1B; H317: >= 10 - 100					
85940-28-9	288-917-4	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl und Isobutyl und Isoproypl)ester, Zinksalze	1 - < 3 %				
	inhalation: LC mg/kg	50 = > 2,3 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 3080					
70024-69-0	274-263-7	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.1 - < 1 %				
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = > 4000 mg/kg; oral: LD50 = > 16000 mg/kg						
61789-86-4	263-093-9	Sulfonic acids, petroleum, calcium salts	0.1 - < 1 %				
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 16000 mg/kg  Skin Sens. 1B; H317: >= 10 - 100						



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 3 of 15

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

## Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

### For non-emergency personnel

First aider: Pay attention to self-protection!

# For emergency responders

Fight fire with normal precautions from a reasonable distance.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 4 of 15

### 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

#### Further information on handling

Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

#### Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

#### Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 5 of 15

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
85940-28-9	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl	und Isobutyl und Isopro	ypl)ester, Zinksalze	•
Worker DNEL,	long-term	inhalation	systemic	6,6 mg/m³
Worker DNEL,	long-term	dermal	systemic	9,6 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,67 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,19 mg/kg bw/day
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calciur	n salts	_	
Worker DNEL,	long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL,	long-term	dermal	systemic	3,33 mg/kg bw/day
Worker DNEL, long-term		dermal	local	1,03 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	2,9 mg/m³
Consumer DN	Consumer DNEL, long-term		systemic	1,667 mg/kg bw/day
Consumer DN	EL, long-term	dermal	local	0,513 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	oral	systemic	0,833 mg/kg bw/day
61789-86-4	Sulfonic acids, petroleum, calcium salts			
Worker DNEL,	long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Worker DNEL, long-term		dermal	local	1,03 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	2,9 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,667 mg/kg bw/day
Consumer DN	EL, long-term	dermal	local	0,513 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	oral	systemic	0,833 mg/kg bw/day



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 6 of 15

## **PNEC values**

CAS No	Substance			
Environmental	compartment	Value		
85940-28-9	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl und Isobutyl und Isoproypl)ester, Zinksalze			
Freshwater	Freshwater			
Freshwater (in	termittent releases)	0,02 mg/l		
Marine water		0 mg/l		
Freshwater see	diment	19,3 mg/kg		
Marine sedime	nt	1,93 mg/kg		
Micro-organisn	ns in sewage treatment plants (STP)	100 mg/l		
Soil		15,7 mg/kg		
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts			
Freshwater		1 mg/l		
Freshwater (in	Freshwater (intermittent releases)			
Marine water		1 mg/l		
Freshwater see	diment	226000000 mg/kg		
Marine sedime	nt	226000000 mg/kg		
Secondary poi	soning	16,667 mg/kg		
Micro-organisn	Micro-organisms in sewage treatment plants (STP)			
Soil		271000000 mg/kg		
61789-86-4	Sulfonic acids, petroleum, calcium salts			
Freshwater		1 mg/l		
Freshwater (intermittent releases)		10 mg/l		
Marine water	1 mg/l			
Freshwater see	226000000 mg/kg			
Marine sedime	226000000 mg/kg			
Secondary poisoning 1				
Micro-organisn	ns in sewage treatment plants (STP)	1000 mg/l		
Soil		271000000 mg/kg		

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

# 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Product code: 1102519 Revision date: 27.09.2023 Page 7 of 15

### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0.45 mm

**EN ISO 374** 

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

# **Environmental exposure controls**

Observe legal regulations and provisions.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:

Colour: yellow-brown Odour: solvent like

**Test method** 

Melting point/freezing point: not determined Boiling point or initial boiling point and 200 °C

boiling range:

Flammability: not applicable not applicable Lower explosion limits: 0,5 vol. % Upper explosion limits: 8 vol. %

Flash point: 100 °C ISO 3679

Auto-ignition temperature: No information available. Decomposition temperature: not determined

pH-Value (at 20 °C): **DIN 19268** 

< 7 mm²/s DIN EN ISO 3104 Viscosity / kinematic:

(at 40 °C)

The study does not need to be conducted Water solubility: because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 0,8425 g/cm3 DIN 51757

Relative vapour density: not determined

### 9.2. Other information

# Information with regard to physical hazard classes

Self-ignition temperature



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 8 of 15

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Solvent content:

No information available.

Solid content:

Sublimation point:

No information available.

Viscosity / dynamic: No information available. DIN 53019-1 Flow time: No information available. DIN EN ISO 2431

(at 20 °C)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

# 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

## 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### **Further information**

Do not mix with other chemicals.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 9 of 15

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64742-47-8	Hydrocarbons, C12-C15	n-alkanes,	iso-alkanes,	cyclics, < 2 % aro	mates	•		
	oral	LD50 mg/kg	> 15000	Rat	Study report (1977)	OECD Guideline 423		
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1993)	OECD Guideline 402		
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat				
88584-23-6	Benzenesulfonic acid, C	10-16-alkyl	derivs., calciu	ım salts				
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>5000	Rat				
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat				
35940-28-9	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl und Isobutyl und Isoproypl)ester, Zinksalze							
	oral	LD50 mg/kg	3080	Rat	Study report (1980)	other: FHSA 16CFR1500.3		
	dermal	LD50 mg/kg	> 20000	Rabbit	Study report (1980)	other: 16CFR1500.3		
	inhalation (4 h) vapour	LC50 mg/l	> 2,3	Rat	Study report	OECD Guideline 403		
70024-69-0	Benzenesulfonic acid, m	ono-C16-24	-alkyl derivs.	, calcium salts				
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40		
	dermal	LD50 mg/kg	> 4000	Rabbit	Study report (1986)	other: 40 CFR, Section 163.81-2, Federal		
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat				
61789-86-4	Sulfonic acids, petroleum	n, calcium s	alts					
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40		
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1981)	OECD Guideline 402		
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat				

## Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

# Sensitising effects

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an allergic reaction.

## Carcinogenic/mutagenic/toxic effects for reproduction



# **Safety Data Sheet**

according to UK REACH Regulation

## 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 10 of 15

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

# Specific effects in experiment on an animal

No information available.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information

No information available.

### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.



according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 11 of 15

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
64742-47-8	Hydrocarbons, C12-C15,	n-alkanes, i	so-alkanes, o	cyclics, <	2 % aromates				
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report; company data (1994)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna				
	Fish toxicity	NOEC mg/l	> 1000	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
88584-23-6	Benzenesulfonic acid, C1	0-16-alkyl d	erivs., calciu	m salts					
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna				
35940-28-9	Phosphorodithionsäure, g	emischte O	,OBis(2-ethy	lhexyl un	d Isobutyl und Isoproypl)	ester, Zinksalze			
	Acute fish toxicity	LL50	4,5 mg/l	96 h	Oncorhynchus mykiss	Study report (2005)	OECD Guideline 203		
	Acute algae toxicity	ErC50	2,1 mg/l	72 h	Selenastrum capricornutum UTEX 1648	Study report (1994)	OECD Guideline 201		
	Acute crustacea toxicity	EC50	5,4 mg/l	48 h	Daphnia magna	Study report (1994)	OECD Guideline 202		
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l ( )	> 10000	3 h	activated sludge of a domestic residential sewage	Study report (1994)	OECD Guideline 209		
70024-69-0	Benzenesulfonic acid, mo	no-C16-24-	alkyl derivs.,	calcium					
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050		
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300		
	Acute bacteria toxicity	EC50 mg/l ( )	> 10000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209		
1789-86-4	Sulfonic acids, petroleum	calcium sa	Its						
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Study report (1994)	EPA OTS 797.1050		



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 12 of 15

Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	, ,	EPA OTS 797.1300
Acute bacteria toxicity	EC50 mg/l ( )	> 10000		activated sludge of a predominantly domestic sewag	, ,	OECD Guideline 209

# 12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

There are no data available on the mixture needs. Alex (mg/).					
CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	-			
64742-47-8	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				
	OECD Guideline 301 F	67,6 %	28	ECHA	
	leicht biologisch abbaubar				

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-47-8	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	7,0
85940-28-9	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl und Isobutyl und Isoproypl)ester, Zinksalze	8,87
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	18,05
61789-86-4	Sulfonic acids, petroleum, calcium salts	> 4,46

### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	144,3	calculated	Other company data (
	Phosphorodithionsäure, gemischte O,OBis(2-ethylhexyl und Isobutyl und Isoproypl)ester, Zinksalze	< 1000		Other company data (

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow uncontrolled discharge of product into the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 13 of 15

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified; other organic solvents, washing liquids and mother

liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified: other organic solvents, washing liquids and mother

liquors: hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.Marine pollutant:no

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 14 of 15

Directive 2010/75/EU on industrial

emissions:

No information available.

Directive 2004/42/EC on VOC in

paints and varnishes:

No information available.

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 3,5,11.

### Abbreviations and acronyms

Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate

ATEL (EC): Short Term Exposure Limit

LC50: Lethal Concentration

EC50:half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



# **Safety Data Sheet**

according to UK REACH Regulation

# 957 Engine Cleaner MF95700400AB

Revision date: 27.09.2023 Product code: 1102519 Page 15 of 15

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an

allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)