



## Safety Data Sheet

according to UK REACH Regulation

### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 1 of 18

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

102 Active oil MP10200400AB

UFI: 4HY7-C0PJ-7006-W9VT

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: TUNAP GmbH & Co. KG  
Street: Bürgermeister-Seidl-Str. 2  
Place: D-82515 Wolfratshausen  
Telephone: + 49 (0) 8171/1600 - 0      Telefax: + 49 (0) 8171/1600 - 40  
E-mail: sdb@tunap.com  
Internet: www.tunap.com

#### Supplier

Company name: TUNAP (UK) Limited  
Street: Unit 12 Tonbridge Trade Park, Ingot Way  
Place: GB Tonbridge, Kent. TN9 1GN  
Telephone: +44 (0)1732 365163  
E-mail: sdb@tunap.com  
Internet: www.tunap.co.uk

### 1.4. Emergency telephone number:

111 NHS (National Health Service)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Aerosol 1; H222-H229  
Asp. Tox. 1; H304  
Skin Irrit. 2; H315  
Eye Irrit. 2; H319  
Skin Sens. 1; H317  
STOT SE 3; H336  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane  
4-Nonylphenoxyacetic acid  
2,6-di-tert-butyl-4-nonylphenol  
Linalool (Dimethyl-1,6-Octadiene-3-ol)

Signal word: Danger

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 2 of 18

**Pictograms:****Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe Aerosol.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**2.3. Other hazards**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 3 of 18

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
75-28-5	isobutane			25 - < 50 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied gas; H220 H280			
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane			10 - < 20 %
	931-254-9		01-2119484651-34	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			
74-98-6	propane			5 - < 10 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220 H280			
67-63-0	2-Propanol			3 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics			3 - < 5 %
	927-241-2		01-2119471843-32	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 3; H226 H336 H304 H412 EUH066			
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220 H280			
61791-55-7	N-Tallowalkyl-1,3-propanediamine			0.1 - < 1 %
	263-189-0		01-2119487014-41	
	Acute Tox. 4, Skin Corr. 1B, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H372 H400 H410			
3115-49-9	4-Nonylphenoxyacetic acid			0.1 - < 1 %
	221-486-2		01-2119982392-31	
	Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H317 H400 H410			
4306-88-1	2,6-di-tert-butyl-4-nonylphenol			0.1 - < 1 %
	224-320-7		01-2120759723-46	
	Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 1; H317 H400 H410			
78-70-6	Linalool (Dimethyl-1,6-Octadiene-3-ol)			< 0.1 %
	201-134-4		01-2119474016-42	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B; H315 H319 H317			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 4 of 18

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-49-0	931-254-9	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane inhalation: LC50 = 73860 mg/l (vapours); dermal: LD50 = >2920 mg/kg; oral: LD50 = >5840 mg/kg	10 - < 20 %
67-63-0	200-661-7	2-Propanol inhalation: LC50 = 47,5 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5280 mg/kg	3 - < 5 %
	927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics inhalation: LC50 = > 4951 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	3 - < 5 %
61791-55-7	263-189-0	N-Tallowalkyl-1,3-propanediamine oral: LD50 = >300 - 2000 mg/kg Aquatic Chronic 1; H410: M=10	0.1 - < 1 %
3115-49-9	221-486-2	4-Nonylphenoxyacetic acid oral: LD50 = 1674 mg/kg	0.1 - < 1 %
4306-88-1	224-320-7	2,6-di-tert-butyl-4-nonylphenol inhalation: LC50 = >10 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = >2000 mg/kg	0.1 - < 1 %
78-70-6	201-134-4	Linalool (Dimethyl-1,6-Octadiene-3-ol) inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = 5610 mg/kg; oral: LD50 = 2790 mg/kg	< 0.1 %

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

**After inhalation**

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

**4.2. Most important symptoms and effects, both acute and delayed**

Headache, nausea, dizziness, fatigue, skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

**Unsuitable extinguishing media**

Full water jet



## Safety Data Sheet

according to UK REACH Regulation

### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 5 of 18

#### **5.2. Special hazards arising from the substance or mixture**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Danger of bursting container.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

##### **For non-emergency personnel**

First aider: Pay attention to self-protection!

##### **For emergency responders**

Fight fire with normal precautions from a reasonable distance.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

##### **Advice on general occupational hygiene**

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 6 of 18

**Further information on handling**

Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Observe legal regulations and provisions.

**Hints on joint storage**

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Further information on storage conditions**

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 7 of 18

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane			
Worker DNEL, long-term		inhalation	systemic	5306 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	13964 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1131 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1377 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1301 mg/kg bw/day
4306-88-1	2,6-di-tert-butyl-4-nonylphenol			
Worker DNEL, long-term		inhalation	systemic	7,84 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	1,11 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,56 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,056 mg/kg bw/day
78-70-6	Linalool (Dimethyl-1,6-Octadiene-3-ol)			
Worker DNEL, long-term		inhalation	systemic	2,8 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	16,5 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term		dermal	local	3 mg/cm <sup>2</sup>
Worker DNEL, acute		dermal	local	3 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	0,7 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	4,1 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1,25 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	1,5 mg/cm <sup>2</sup>
Consumer DNEL, acute		dermal	local	1,5 mg/cm <sup>2</sup>
Consumer DNEL, long-term		oral	systemic	0,2 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	1,2 mg/kg bw/day

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 8 of 18

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
4306-88-1	2,6-di-tert-butyl-4-nonylphenol	
Freshwater		0,000124 mg/l
Freshwater (intermittent releases)		0,00124 mg/l
Marine water		0,012 mg/l
Freshwater sediment		106 mg/kg
Marine sediment		10,6 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		21,1 mg/kg
78-70-6 Linalool (Dimethyl-1,6-Octadiene-3-ol)		
Freshwater		0,2 mg/l
Freshwater (intermittent releases)		2 mg/l
Marine water		0,02 mg/l
Freshwater sediment		2,22 mg/kg
Marine sediment		0,222 mg/kg
Secondary poisoning		7,8 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,327 mg/kg

**Additional advice on limit values**

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

- blood (B)
- Urine (U)

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses.  
EN 166

**Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min  
Thickness of the glove material 0,45 mm  
EN ISO 374

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 9 of 18

When exceeding the relevant workplace exposure limits, note the following:  
Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..  
Filtering device with filter or ventilator filtering device of type: AX  
Observe the wear time limits as specified by the manufacturer.  
Observe legal regulations and provisions.

**Environmental exposure controls**

Observe legal regulations and provisions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Aerosol  
Colour: yellow-brown  
Odour: solvent like

**Test method**

Melting point/freezing point: not determined  
Boiling point or initial boiling point and boiling range: 51 °C  
Flammability: not applicable  
Lower explosion limits: 1 vol. %  
Upper explosion limits: 15 vol. %  
Flash point: -21 °C  
Auto-ignition temperature: 250 °C  
Decomposition temperature: not determined  
pH-Value (at 20 °C):  
Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

DIN 19268

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): 0,76 g/cm<sup>3</sup> DIN 51757

Relative vapour density: not determined

**9.2. Other information****Information with regard to physical hazard classes**

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Oxidizing properties

Not oxidising.

**Other safety characteristics**

Evaporation rate: not determined

Solid content: not determined

Sublimation point: No information available.

Softening point: No information available.

Pour point: No information available.

**Further Information**

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 10 of 18

**10.1. Reactivity**

Extremely flammable aerosol.

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Oxidizing agents. Pyrophoric or self-heating substances.

**10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**Further information**

Do not mix with other chemicals.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 11 of 18

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane				
	oral	LD50 >5840 mg/kg	Rat		
	dermal	LD50 >2920 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 73860 mg/l	Rat	Industrial Medicine, Vol. 39, No. 5, May	OECD Guideline 403
67-63-0	2-Propanol				
	oral	LD50 5280 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 47,5 mg/l	Rat		
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 > 4951 mg/l	Rat		
61791-55-7	N-Tallowalkyl-1,3-propanediamine				
	oral	LD50 >300 - 2000 mg/kg	Rat		
3115-49-9	4-Nonylphenoxyacetic acid				
	oral	LD50 1674 mg/kg	Rat		
4306-88-1	2,6-di-tert-butyl-4-nonylphenol				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2017)	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 >10 mg/l	Rat		
78-70-6	Linalool (Dimethyl-1,6-Octadiene-3-ol)				
	oral	LD50 2790 mg/kg	Rat	Food Cosmet. Toxicol. Vol. 2, pp. 327-34	OECD Guideline 401
	dermal	LD50 5610 mg/kg	Rabbit	Study report (1970)	OECD Guideline 402
	inhalation (4 h) dust/mist	LC50 >5 mg/l	Mouse.		

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

**Sensitising effects**

May cause an allergic skin reaction. (4-Nonylphenoxyacetic acid; 2,6-di-tert-butyl-4-nonylphenol; Linalool (Dimethyl-1,6-Octadiene-3-ol))

**Carcinogenic/mutagenic/toxic effects for reproduction**



## Safety Data Sheet

according to UK REACH Regulation

### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 12 of 18

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



### Safety Data Sheet

according to UK REACH Regulation

#### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 13 of 18

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane					
	Acute fish toxicity	LC50 >10 -100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 13,56 mg/l	72 h	Pseudokirchneriella subcapitata	CONCAWE, Brussels, Belgium (2009)	The aquatic toxicity was estimated by a
	Acute crustacea toxicity	EC50 31,9 mg/l	48 h	Daphnia magna	CONCAWE, Brussels, Belgium (2009)	The aquatic toxicity was estimated by a
	Fish toxicity	NOEC 4,089 mg/l	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2009)	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC 7,138 mg/l	21 d	Daphnia magna	CONCAWE, Brussels, Belgium (2009)	The aquatic toxicity was estimated by a
67-63-0	2-Propanol					
	Acute fish toxicity	LC50 9640 mg/l	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics					
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna		
61791-55-7	N-Tallowalkyl-1,3-propanediamine					
	Acute fish toxicity	LC50 >0,02 - 0,1 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 >0,02 - 0,1 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 >0,02 - 0,1 mg/l	48 h	Daphnia magna (Big water flea)		
3115-49-9	4-Nonylphenoxyacetic acid					
	Acute fish toxicity	LC50 9 mg/l	96 h	Danio rerio (zebrafish)		
	Acute crustacea toxicity	EC50 0,88 mg/l	48 h	Daphnia magna		
4306-88-1	2,6-di-tert-butyl-4-nonylphenol					
	Acute fish toxicity	LC50 > 10 mg/l	96 h	Oncorhynchus mykiss	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,124 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 14 of 18

	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209
78-70-6	Linalool (Dimethyl-1,6-Octadiene-3-ol)						
	Acute fish toxicity	LC50 mg/l	27,8	96 h	Oncorhynchus mykiss	Study report (1991)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	88,3	96 h	Desmodesmus subspicatus	Study report (1988)	other: DIN 38412 L 9
	Acute crustacea toxicity	EC50	59 mg/l	48 h	Daphnia magna	Study report (1991)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ( )	> 100	0,5 h	activated sludge of a predominantly domestic sewage	Study report (1991)	OECD Guideline 209

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane	OECD Prüfrichtlinie 301F	98 %	28	
	Leichtbiologisch abbaubar				
67-63-0	2-Propanol	OECD Prüfrichtlinie 301E	95 %	21	
	leicht biologisch abbaubar				
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics	OECD Guideline 301 F	89 %	28	ECHA
3115-49-9	4-Nonylphenoxyacetic acid	OECD 301B; ISO 9439; 92/69/EWG, C.4-C	42 - 46 %	28	
	Moderately/partially biodegradable.				

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane	3,6
74-98-6	propane	2,36
67-63-0	2-Propanol	0,05
106-97-8	butane	2,89
4306-88-1	2,6-di-tert-butyl-4-nonylphenol	> 6,5
78-70-6	Linalool (Dimethyl-1,6-Octadiene-3-ol)	2,9

**BCF**

CAS No	Chemical name	BCF	Species	Source
64742-49-0	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane	501,187	Pimephales promelas	QSAR in Environmenta

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.



## Safety Data Sheet

according to UK REACH Regulation

### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 15 of 18

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### **List of Wastes Code - used product**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### **List of Wastes Code - contaminated packaging**

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### **SECTION 14: Transport information**

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1950
<b><u>14.2. UN proper shipping name:</u></b>	AEROSOLS
<b><u>14.3. Transport hazard class(es):</u></b>	2
<b><u>14.4. Packing group:</u></b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1950
<b><u>14.2. UN proper shipping name:</u></b>	AEROSOLS
<b><u>14.3. Transport hazard class(es):</u></b>	2
<b><u>14.4. Packing group:</u></b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0

#### **Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1950
<b><u>14.2. UN proper shipping name:</u></b>	AEROSOLS (Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane)

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 16 of 18

<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Marine pollutant:	yes
Special Provisions:	63, 190, 277, 327, 344, 381,959
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS, flammable
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Special Provisions:	A145 A167 A802
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y203
Excepted quantity:	E0
IATA-packing instructions - Passenger:	203
IATA-max. quantity - Passenger:	75 kg
IATA-packing instructions - Cargo:	203
IATA-max. quantity - Cargo:	150 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	Hydrocarbons, C6, iso-alkanes, < 5 % n-hexane

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol Directive (75/324/EEC)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information****Changes**



## Safety Data Sheet

according to UK REACH Regulation

### 102 Active oil MP10200400AB

Revision date: 22.10.2024

Product code: 1103569

Page 17 of 18

This data sheet contains changes from the previous version in section(s): 1,2,6,8,9,11.

#### Abbreviations and acronyms

Flam. Gas: Flammable gases

Aerosol: Aerosols

Liquefied gas

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Asp. Tox: Aspiration hazard

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Irrit. 2; H319	Bridging principle "Aerosols"
Skin Sens. 1; H317	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.

**Safety Data Sheet**

according to UK REACH Regulation

**102 Active oil MP10200400AB**

Revision date: 22.10.2024

Product code: 1103569

Page 18 of 18

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*