

# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 1 of 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

915 TUN Solve Cleaner 500 ml A

UFI:

9721-10VP-Q00Y-U7DS

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Cleaner

# 1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
E-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	

### number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Aerosol 2; H223-H229 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

Warning

### 2.2. Label elements

### **GB CLP Regulation**

# Hazard components for labelling

2-Propanol Acetone Hydrocarbons C7-C9, iso-alkanes Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics

# Signal word:

Pictograms:



### Hazard statements

H223	Flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.



according to UK REACH Regulation

915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 2 of 14

# **Precautionary statements**

P102	Keep out of reach of children.
P101	If medical advice is needed, have product container or label at hand.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P280	Wear protective gloves and eye protection/face protection.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container according to the official regulations.

# 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
67-63-0	2-Propanol			25 - < 50 %		
	200-661-7	603-117-00-0	01-2119457558-25			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	,				
67-64-1	Acetone			20 - < 25 %		
	200-662-2	606-001-00-8	01-2119471330-49			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336 EUH066				
64741-66-8	Hydrocarbons C7-C9, iso-alkanes		20 - < 25 %			
	921-728-3		01-2119471305-42			
	Flam. Liq. 2, Skin Irrit. 2, STOT SE H411	225 H315 H336 H304				
	Hydrocarbons, C9-C10, n-alkanes,	isoalkanes, cyclenes, <2% aromatic	S	3 - < 5 %		
	927-241-2		01-2119471843-32			
	Flam. Liq. 3, STOT SE 3, Asp. Tox	. 1, Aquatic Chronic 3; H226 H336 H	304 H412 EUH066			
124-38-9	carbon dioxide		3 - < 5 %			
	204-696-9					
		•	-			

Full text of H and EUH statements: see section 16.



### 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

o .... o

Product code: 1103680

Page 3 of 14

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
67-63-0	200-661-7	2-Propanol	25 - < 50 %
	inhalation: LC5	0 = 47,5 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5280 mg/kg	
67-64-1	200-662-2	Acetone	20 - < 25 %
	inhalation: LC5	0 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg	
64741-66-8	921-728-3	Hydrocarbons C7-C9, iso-alkanes	20 - < 25 %
		0 = > 21 mg/l (vapours); inhalation: LC50 = >9,4 mg/l (dusts or mists); dermal: - 2500 mg/kg; oral: LD50 = > 7100 - 7800 mg/kg	
	927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics	3 - < 5 %
	inhalation: LC5 mg/kg	0 = > 4951 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000	

#### Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % aliphatic hydrocarbons.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard



# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 4 of 14

### area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

## Additional information

Danger of bursting container.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

# For non-emergency personnel

First aider: Pay attention to self-protection!

### For emergency responders

Fight fire with normal precautions from a reasonable distance.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

### 6.3. Methods and material for containment and cleaning up

### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

### Further information on handling

Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.



## 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 5 of 14

# Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

### Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

# 7.3. Specific end use(s)

Cleaner

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### **DNEL/DMEL** values

CAS No	Substance		-	
DNEL type		Exposure route	Effect	Value
64741-66-8 Hydrocarbons C7-C9, iso-alkanes				
Worker DNEL, long-term inhalation systemic 2035				2035 mg/m³
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	608 mg/m³
Consumer DNEL, long-term		dermal	systemic	699 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	699 mg/kg bw/day

### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B) Urine (U)

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166

### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to





according to UK REACH Regulation

# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 6 of 14

chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

EN ISO 374

# Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

### **Environmental exposure controls**

Observe legal regulations and provisions.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	solvent like		
			Test method
Boiling point or initial boiling point ar	nd	56 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		>1,5 vol. %	
Upper explosion limits:		14,3 vol. %	
Flash point:		-17 °C	
Auto-ignition temperature:		> 200 °C	
Decomposition temperature:		No information available.	
pH-Value (at 20 °C):		not applicable	DIN 19268
Water solubility:		partially soluble	
Density (at 20 °C):		0,755 g/cm³	DIN 51757
Relative vapour density:		No information available.	
0.2. Other information			
Information with regard to physica	I hazard classes		
Sustaining combustion:		No data available	
Self-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Other safety characteristics			
Evaporation rate:		No information available.	
Solvent separation test:		No information available.	
Solvent content:		No information available.	
Solid content:		No information available.	
Sublimation point:		No information available.	
Softening point:		No information available.	
Flow time:		No information available.	
Further Information			
Data apply to tochnical substance: F	Pelative density Colour O	dour Viccosity pH	



# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 7 of 14

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable aerosol.

# 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

### 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### **Further information**

Do not mix with other chemicals.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

### Acute toxicity

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# according to UK REACH Regulation

# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 8 of 14

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
67-63-0	2-Propanol									
	oral	LD50 mg/kg	5280	Rat						
	dermal	LD50 mg/kg	> 2000	Rabbit						
	inhalation (4 h) vapour	LC50	47,5 mg/l	Rat						
67-64-1	Acetone	_		_						
	oral	LD50 mg/kg	5800	Rat	RTECS					
	dermal	LD50 mg/kg	20000	Rabbit	IUCLID					
	inhalation (4 h) vapour	LC50	76 mg/l	Rat						
64741-66-8	Hydrocarbons C7-C9, iso-alkanes									
	oral	LD50 7800 mg/kg	> 7100 -	Rat	Study report (1961)	OECD Guideline 401				
	dermal	LD50 2500 mg/kg	> 2200 -	Rabbit	Study report (1961)	Standard acute method, applying 4 differ				
	inhalation (4 h) vapour	LC50	> 21 mg/l	Rat	Study report (1985)	OECD Guideline 403				
	inhalation (4 h) dust/mist	LC50	>9,4 mg/l	Rat						
	Hydrocarbons, C9-C10,	n-alkanes, iso	alkanes, cy	clenes, <2% aromatics						
	oral	LD50 mg/kg	> 5000	Rat						
	dermal	LD50 mg/kg	> 5000	Rabbit						
	inhalation (4 h) vapour	LC50 mg/l	> 4951	Rat						

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

## STOT-single exposure

May cause drowsiness or dizziness. (2-Propanol; Acetone; Hydrocarbons C7-C9, iso-alkanes)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.



# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 9 of 14

Reference to other sections: 2.1, 4.2.

# Specific effects in experiment on an animal

No information available.

# 11.2. Information on other hazards

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## Other information

No information available.

### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



# according to UK REACH Regulation

# 915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 10 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
67-63-0	2-Propanol								
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna				
67-64-1	Acetone								
	Acute fish toxicity	LC50 mg/l	5540	96 h	Oncorhynchus mykiss				
	Acute crustacea toxicity	EC50 mg/l	6100	48 h	Daphnia magna				
64741-66-8	Hydrocarbons C7-C9, iso-alkanes								
	Acute fish toxicity	LL50 mg/l	> 13,4	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50	12 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EL50 mg/l	ca. 2,4	48 h	Daphnia magna	Publication (1986)	other: As described in: The evaluation o		
	Fish toxicity	NOEC mg/l	0,778	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2009)	QSAR		
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
	Hydrocarbons, C9-C10, n	-alkanes, is	soalkanes, cy	clenes, <	2% aromatics				
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna				

# 12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
67-63-0	2-Propanol					
	OECD Prüfrichtlinie 301E	95 %	21			
	leicht biologisch abbaubar					
	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics					
	OECD Guideline 301 F	89 %	28	ECHA		

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



915 TUN Solve Cleaner 500 ml A

Revision date: 11.10.2023

Product code: 1103680

Page 11 of 14

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	2-Propanol	0,05
67-64-1	Acetone	-0,24
64741-66-8	Hydrocarbons C7-C9, iso-alkanes	4,5

#### BCF

CAS No	Chemical name	BCF	Species	Source
64741-66-8	Hydrocarbons C7-C9, iso-alkanes	198,7	Mytilus edulis	REACh Registration D

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0



	915 TUN Solve Cleaner 500 ml A	
Revision date: 11.10.2023	Product code: 1103680	Page 12 of 14
Transport category:	2	
Tunnel restriction code:	D	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2	
14.4. Packing group:	-	
Hazard label:	2.1	
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity:	1 L	
Excepted quantity:	E0	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Marine pollutant:	no	
Special Provisions:	63, 190, 277, 327, 344, 381,959	
Limited quantity:	1000 mL	
Excepted quantity:	E0	
EmS:	F-D, S-U	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Special Provisions:	A145 A167 A802	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y203	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:	203	
IATA-max. quantity - Passenger:	75 kg	
IATA-packing instructions - Cargo:	203	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: Flammable gases		
14.7. Maritime transport in bulk according	to IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII)		
Entry 3, Entry 28, Entry 40, Entry 75		
Directive 2010/75/EU on industrial	No information available	

Directive 2010/75/EU on industrial No information available. emissions:



### 915 TUN Solve Cleaner 500 ml A

Product code: 1103680

Page 13 of 14

Directive 2004/42/FC on VOC in

No information available.

paints and varnishes:

Marketing and use of explosives precursors (Regulation (EU) 2019/1148): This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Aerosol Directive (75/324/EEC)

### National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,9,11,15.

# Abbreviations and acronyms

Aerosol: Aerosols Flam. Lig: Flammable liquids Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate STEL (EC) Short Term Exposure Limit LC50: Lethal Concentration EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 2; H223-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Irrit. 2; H319	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 3; H412	Calculation method

# Relevant H and EUH statements (number and full text)

H223 Flammable aerosol. H225

Highly flammable liquid and vapour.



915 TUN Sol	ve Cleaner	<sup>.</sup> 500 ml A
-------------	------------	-----------------------

Revision date: 11.10.2023	Product code: 1103680	Page 14 of 14
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Further Information		

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)