

according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

641 Intercooler Cleaner 1 I AB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

1.3. Details of the supplier of the safety data sheet

Company name: TUNAP GmbH & Co. KG
Street: Bürgermeister-Seidl-Str. 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600 - 0 Telefax: +49 (0) 8171/1600 - 40

e-mail: sdb@tunap.com Internet: www.tunap.com

1.4. Emergency telephone +49 (0) 30 30 686 790 (Giftnotruf Berlin)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes severe skin burns and eye damage.

May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-aminoethanol; ethanolamine

disodium metasilicate

Signal word: Danger

Pictograms:





Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe vapours.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 2 of 11

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
141-43-5	2-aminoethanol; ethanolamine			3 - < 5 %	
	205-483-3	603-030-00-8			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H335 H412				
10213-79-3	disodium metasilicate			3 - < 5 %	
	229-912-9				
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3; H290 H314 H335				

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 3 of 11

Suitable extinguishing media

Non-combustible liquids. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 4 of 11

Further information on storage conditions

Protect from frost.

7.3. Specific end use(s)

Cleaner

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
141-43-5	2-aminoethanol; ethanolamine				
Worker DNEL,	long-term	inhalation	local	3,3 mg/m³	
Worker DNEL, long-term		dermal	systemic	1 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	local	2 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,24 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	3,75 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
141-43-5	2-aminoethanol; ethanolamine		
Freshwater		0,085 mg/l	
Freshwater (intermittent releases)		0,028 mg/l	
Marine water		0,009 mg/l	
Freshwater sediment 0,434 mg/kg			
Marine sediment		0,043 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil 0		0,037 mg/kg	

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 5 of 11

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: P2

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Odour: mild

Test method

pH-Value (at 20 °C): 12,5 DIN 19268

Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: 100 °C

Sublimation point:

Softening point:

No information available.

No data available

Flammability

Solid: not determined
Gas: not applicable

Lower explosion limits: No information available.

Ignition temperature:

No information available.



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 6 of 11

Auto-ignition temperature

Solid: No information available.
Gas: No information available.
Decomposition temperature: No information available.

Oxidizing properties

Not oxidising.

Vapour pressure:

Vapour pressure:

No information available.

No information available.

Density (at 20 °C): 1,022 g/cm³ DIN 51757

Water solubility: highly soluble.

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: DIN 53019-1

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Do not mix with acids.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
141-43-5	2-aminoethanol; ethanolamine					
	oral	LD50 mg/kg	ca. 1515	Rat	Study report (1966)	
	dermal	LD50	2504 mg/kg	Rabbit	Study report (1988)	
	inhalation (4 h) aerosol	LC50	1,3 mg/l	Rat		
10213-79-3	disodium metasilicate					
	oral	LD50 mg/kg	1152-1349	Rat		
	dermal	LD50	>5000 mg/kg	Rat		

Irritation and corrosivity

Causes severe skin burns and eye damage.

In vitro Skin Irritation: Human Skin Model Test (OECD 439): Not an irritant. according to UN GHS according to EU CLP: no category

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source		
141-43-5	2-aminoethanol; ethanolami	2-aminoethanol; ethanolamine						
	Acute fish toxicity	LC50	349 mg/l	96 h	Cyprinus carpio	Study report (1997)		
	Acute algae toxicity	ErC50	2,8 mg/l		Pseudokirchneriella subcapitata	unpublished (1997)		
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Study report (1997)		
	Fish toxicity	NOEC	1,24 mg/l	41 d	Oryzias latipes	unpublished (2008)		
	Crustacea toxicity	NOEC	0,85 mg/l	21 d	Daphnia magna	unpublished (1997)		

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 8 of 11

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol; ethanolamine	-2,3

BCF

CAS No	Chemical name	BCF	Species	Source
141-43-5	2-aminoethanol; ethanolamine	2,3		SAR and QSAR in Envi

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070701 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - used product

070701 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (disodium metasilicate; 2-aminoethanol;

ethanolamine)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
	641 Intercooler Cleaner 1 I AB	
Print date: 04.08.2020	Product code: 1103687	Page 9 of 11
Classification code:	C9	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1760	
14.2. UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (disodium metasilicate; 2-aminoethanol; ethanolamine)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Classification code:	C9	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number:	UN 1760	
14.2. UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (disodium metasilicate; 2-aminoethano	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Marine pollutant:	no	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	UN 1760	
14.2. UN proper shipping name:	CORROSIVE LIQUID, N.O.S. (disodium metasilicate; 2-aminoethano	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 10 of 11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,10.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to Regulation (EC) No 1907/2006

641 Intercooler Cleaner 1 I AB

Print date: 04.08.2020 Product code: 1103687 Page 11 of 11

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)