



Safety Data Sheet

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

927 All Season Windscreen Cleaner MP92701000AB

UFI: 6128-10Q2-300J-36SP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: TUNAP GmbH & Co. KG
Street: Bürgermeister-Seidl-Str. 2
Place: D-82515 Wolfratshausen
Telephone: + 49 (0) 8171/1600 - 0 Telefax: + 49 (0) 8171/1600 - 40
E-mail: sdb@tunap.com
Internet: www.tunap.com

Supplier

Company name: TUNAP (UK) Limited
Street: Unit 12 Tonbridge Trade Park, Ingot Way
Place: GB Tonbridge, Kent. TN9 1GN
Telephone: +44 (0)1732 365163
E-mail: sdb@tunap.com
Internet: www.tunap.co.uk

1.4. Emergency telephone number: 111 NHS (National Health Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 2 of 11

| | |
|----------------|--|
| P280 | Wear eye protection/face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P317 | If eye irritation persists: Get medical help. |
| P501 | Dispose of contents/container according to the official regulations. |

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

| CAS No | Chemical name | Quantity | | |
|----------|---------------------------------------|--------------|------------------|--------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 64-17-5 | ethanol | | | 50 - < 100 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 107-21-1 | ethanediol, ethylene glycol | | | 5 - < 10 % |
| | 203-473-3 | | 01-2119456816-28 | |
| | Acute Tox. 4, STOT RE 2; H302 H373 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|--|-----------------------------|--------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 64-17-5 | 200-578-6 | ethanol | 50 - < 100 % |
| | inhalation: LC50 = 95,6 mg/l (vapours); dermal: LD50 = >20000 mg/kg; oral: LD50 = 6200 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | | |
| 107-21-1 | 203-473-3 | ethanediol, ethylene glycol | 5 - < 10 % |
| | dermal: LD50 = >3500 mg/kg; oral: LD50 = 1600 mg/kg | | |

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, < 5 % non-ionic surfactants, perfumes.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation



Safety Data Sheet

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 3 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO₂). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 4 of 11

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

Scheibenfrostschutz

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|-------------------------|------|-------------------|-----------|---------------|--------|
| 107-21-1 | Ethane-1,2-diol, vapour | 20 | 52 | | TWA (8 h) | WEL |
| | | 40 | 104 | | STEL (15 min) | WEL |
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |

Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts

d prior to next shift

TWA (EC): time-weighted average

U: Urea

B: Blood

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses.

EN 166



Safety Data Sheet

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 5 of 11

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|---------|
| Physical state: | Liquid |
| Colour: | blue |
| Odour: | Zitrone |

| | Test method |
|---|---------------------------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 78 °C |
| Flammability: | not applicable |
| Lower explosion limits: | not applicable |
| Upper explosion limits: | 3,5 vol. % |
| Flash point: | 15 vol. % |
| Auto-ignition temperature: | 21,5 °C ISO 3679 |
| Decomposition temperature: | 400 °C |
| pH-Value (at 20 °C): | not determined |
| Water solubility: | 10,4 DIN 19268 |
| Solubility in other solvents: | completely miscible |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Density (at 20 °C): | No information available. |
| Relative vapour density: | 0,9 g/cm ³ DIN 51757 |
| | not determined |

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 6 of 11

Oxidizing properties

Not oxidising.

Other safety characteristics

| | |
|--------------------------|---------------------------------------|
| Evaporation rate: | not determined |
| Solvent separation test: | No information available. |
| Solvent content: | No information available. |
| Solid content: | not determined |
| Sublimation point: | No information available. |
| Softening point: | No information available. |
| Viscosity / dynamic: | No information available. DIN 53019-1 |
| Flow time: (at 20 °C) | No information available. |

SECTION 10: Stability and reactivity**10.1. Reactivity**

Flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 7 of 11

| CAS No | Chemical name | | | | |
|----------|-----------------------------|----------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 64-17-5 | ethanol | | | | |
| | oral | LD50 mg/kg 6200 | Rat | IUCLID | |
| | dermal | LD50 mg/kg >20000 | Rat | | |
| | inhalation (4 h) vapour | LC50 95,6 mg/l | Rat | RTECS | |
| 107-21-1 | ethanediol, ethylene glycol | | | | |
| | oral | LD50 mg/kg 1600 | Rat | | |
| | dermal | LD50 mg/kg >3500 | Rabbit | | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

No information available.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meet the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 8 of 11

| CAS No | Chemical name | | | | | |
|----------|-----------------------------|---------------|-----------------|---------|---|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64-17-5 | ethanol | | | | | |
| | Acute fish toxicity | LC50 mg/l | 14200 | 96 h | Pimephales promelas (fathead minnow) | |
| | Acute crustacea toxicity | EC50 mg/l | 9268 - 14221 | 48 h | Daphnia magna | IUCLID |
| 107-21-1 | ethanediol, ethylene glycol | | | | | |
| | Acute fish toxicity | LC50 mg/l | 72860 | 96 h | Pimephales promelas | |
| | Acute algae toxicity | ErC50 mg/l | 6500 - 13000 | 96 h | Selenastrum capricornutum | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | |
| | Fish toxicity | NOEC mg/l | 72860 | 7 d | Pimephales promelas | |
| | Crustacea toxicity | NOEC mg/l | 8590 | 7 d | Ceriodaphnia spec | |

12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

| CAS No | Chemical name | | | |
|----------|-----------------------------|----------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 64-17-5 | ethanol | | | |
| | OECD 301 D | 70 % | 5 | |
| 107-21-1 | ethanediol, ethylene glycol | | | |
| | OECD Guideline 301 A | 90-100 % | 10 | ECHA |
| | leicht biologisch abbaubar | | | |
| | OECD Guideline 301 C | >=83 % | 14 | ECHA |
| | leicht biologisch abbaubar | | | |

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------------------|---------|
| 64-17-5 | ethanol | -0,31 |
| 107-21-1 | ethanediol, ethylene glycol | -1,36 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

No special environmental measures are necessary.

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 9 of 11

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|---|
| 14.1. UN number or ID number: | UN 1170 |
| 14.2. UN proper shipping name: | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Classification code: | F1 |
| Special Provisions: | 144 601 |
| Limited quantity: | 1 L |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |

Other applicable information (land transport)

Limited quantity: E2

Inland waterways transport (ADN)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 1170 |
| 14.2. UN proper shipping name: | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Classification code: | F1 |
| Special Provisions: | 144 601 |
| Limited quantity: | 1 L |

Other applicable information (inland waterways transport)

Limited quantity: E2

Marine transport (IMDG)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 1170 |
| 14.2. UN proper shipping name: | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| 14.3. Transport hazard class(es): | 3 |



Safety Data Sheet

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 10 of 11

| | |
|-----------------------------|----------|
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Marine pollutant: | no |
| Special Provisions: | 144 |
| Limited quantity: | 1 L |
| EmS: | F-E, S-D |

Other applicable information (marine transport)

Limited quantity: E2

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 1170 |
| 14.2. UN proper shipping name: | ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| Special Provisions: | A3 A58 A180 |
| Limited quantity Passenger: | 1 L |
| IATA-packing instructions - Passenger: | 353 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 364 |
| IATA-max. quantity - Cargo: | 60 L |

Other applicable information (air transport)

Limited quantity: E2

Passenger-LQ: Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquids.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P.

Classification and labeling as carcinogenic is not necessary.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

**Safety Data Sheet**

according to UK REACH Regulation

927 All Season Windscreen Cleaner MP92701000AB

Revision date: 21.10.2024

Product code: 1104222

Page 11 of 11

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,11.

Abbreviations and acronyms

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Eye Irrit: Eye irritation

STOT RE: Specific target organ toxicity - repeated exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to kidneys through prolonged or repeated exposure in contact with skin.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)