

according to UK REACH Regulation 928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

928 Glass Clear Pure 30 I AB

UFI:

Y268-U04Q-G00T-585Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-freezing agent

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG		
Street:	Buergermeister-Seidl-Strasse 2	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen		
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40	
E-mail:	sdb@tunap.com		
Internet:	www.tunap.com		
1.4. Emergency telephone	111 NHS (National Health Service)		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Pictograms:

GB CLP Regulation

Signal word:



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe vapours.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 2 of 11

Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP Re	gulation)		
64-17-5	ethanol	50 - < 100 %		
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
107-21-1	ethanediol, ethylene glycol			5 - < 10 %
	203-473-3		01-2119456816-28	
	Acute Tox. 4, STOT RE 2; H302 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol	50 - < 100 %	
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg Eye Irrit. 2; H319: >= 50 - 100			
107-21-1	203-473-3	ethanediol, ethylene glycol	5 - < 10 %	
	dermal: LD50 = >3500 mg/kg; oral: LD50 = 1600 mg/kg			

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, < 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.



according to UK REACH Regulation

928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 3 of 11

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).





according to UK REACH Regulation

928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 4 of 11

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

722.B170042

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.



according to UK REACH Regulation

928 Glass Clear Pure 30 I AB

Revision date: 18.11.2024

Product code: 1105119

Page 5 of 11

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	colorless, clear		
Odour:	alcoholic		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		78 °C	
boiling range:			
Flammability:		not applicable	
		not applicable	
Lower explosion limits:		3,5 vol. %	
Upper explosion limits:		15 vol. %	
Flash point:		21,5 °C	ISO 3679
Auto-ignition temperature:		>300 °C	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		11,08	DIN 19268
Viscosity / kinematic:			DIN EN ISO 3104
(at 40 °C)			
Water solubility:		easily soluble	
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):		0,8999 g/cm³	DIN 51757
Relative vapour density:		not determined	
9.2. Other information			
Information with regard to physical has	zard classes		
Sustaining combustion:		No data available	
Self-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Oxidizing properties			
Not oxidising.			
Other safety characteristics			
Evaporation rate:		not determined	
Solid content:		not determined	

Sublimation point: Softening point: Pour point: Viscosity / dynamic:

DIN 53019-1

No information available.

No information available.

No information available.



according to UK REACH Regulation

928 Glass Clear Pure 30 I AB

Revision date: 18.11.2024

Product code: 1105119

Page 6 of 11

DIN EN ISO 2431

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time: (at 20 °C)

Highly flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol					
	oral	LD50 mg/kg	6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	
107-21-1	ethanediol, ethylene glycol					
	oral	LD50 mg/kg	1600	Rat		
	dermal	LD50 mg/kg	>3500	Rabbit		

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 7 of 11

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- No indications of human carcinogenicity exist.
- No indications of human germ cell mutagenicity exist.
- No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol	_		_			
	Acute crustacea toxicity	EC50 14221 mg/l	9268 -	48 h	Daphnia magna	IUCLID	
107-21-1	ethanediol, ethylene glyco	bl					
	Acute fish toxicity	LC50 mg/l	72860	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 13000 mg/l	6500 -	96 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
	Fish toxicity	NOEC mg/l	72860	7 d	Pimephales promelas		
	Crustacea toxicity	NOEC mg/l	8590	7 d	Ceriodaphnia spec		

12.2. Persistence and degradability

The product has not been tested.



928 Glass Clear Pure 30 I AB

Revision date: 18.11.2024

Product code: 1105119

Page 8 of 11

CAS No	Chemical name					
	Method Value d Source					
	Evaluation					
107-21-1	ethanediol, ethylene glycol					
	OECD Guideline 301 A	90-100 %	10	ECHA		
	leicht biologisch abbaubar					
	OECD Guideline 301 C	>=83 %	14	ECHA		
	leicht biologisch abbaubar					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,31
107-21-1	ethanediol, ethylene glycol	-1,36

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



according to UK REACH Regulation

928 Glass Clear Pure 30 I AB

Revision date: 18.11.2024

Product code: 1105119

Page 9 of 11

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3
Classification code: Special Provisions:	F1 144 601
Limited quantity:	1 L E2
Excepted quantity: Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	3 II
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	3 II
Hazard label:	3
Marine pollutant:	no
Special Provisions:	144
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	3
Hazard label:	3
Special Provisions:	A3 A58 A180
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	60 L
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No



according to UK REACH Regulation

928 Glass Clear Pure 30 I AB

Revision date: 18.11.2024

Product code: 1105119

Page 10 of 11

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Restrictions on use (REACH, annex XV	II):
Entry 3, Entry 40, Entry 75	
Directive 2010/75/EU on industrial emissions:	No information available.
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.
Additional information	
Safety Data Sheet according to Reg	ulation (EC) No. 1907/2006 (REACH)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,11.

Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Eye Irrit: Eye irritation STOT RE: Specific target organ toxicity - repeated exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H373	May cause damage to kidneys through prolonged or repeated exposure in contact with skin.



according to UK REACH Regulation

928 Glass Clear Pure 30 | AB

Revision date: 18.11.2024

Product code: 1105119

Page 11 of 11

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)