

# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

984 Iniektor Direkt-Schutz 200 ml B2

UFI: 5AF3-U0J9-2001-PU9F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Additive

### 1.3. Details of the supplier of the safety data sheet

Company name: TUNAP GmbH & Co. KG
Street: Buergermeister-Seidl-Strasse 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600-0 Telefax: +49 (0) 8171/1600-40

E-mail: sdb@tunap.com Internet: www.tunap.com

1.4. Emergency telephone 111 NHS (National Health Service)

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Flam. Liq. 3; H226 Asp. Tox. 1; H304 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

### **GB CLP Regulation**

### Hazard components for labelling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

2-methylpropan-1-ol; iso-butanol

Hydrocarbons, C10, aromatics, <1% naphthalene

Signal word: Danger

Pictograms:







# **Hazard statements**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 2 of 14

smoking.

P280 Wear eye protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container according to the official regulations.

#### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
64742-48-9	Hydrocarbons, C10-C13, n-alkanes	s, isoalkanes, cyclics, <2%	aromatics	50 - < 100 %	
	918-481-9		01-2119457273-39		
	Asp. Tox. 1; H304 EUH066				
78-83-1	2-methylpropan-1-ol; iso-butanol			5 - < 10 %	
	201-148-0	603-108-00-1			
	Flam. Liq. 3, Skin Irrit. 2, Eye Dam.	1, STOT SE 3, STOT SE	8; H226 H315 H318 H335 H336		
27247-96-7	2-Ethylhexyl nitrate	5 - < 10 %			
	248-363-6		01-2119539586-27		
	Acute Tox. 4, Acute Tox. 4, Acute TEUH066				
64742-48-9	Hydrocarbons, C10-C13, n-alkanes	1 - < 3 %			
	918-481-9				
	Flam. Liq. 3, Asp. Tox. 1; H226 H3	04	·		
128-37-0	2,6-di-tert-butyl-p-cresol	1 - < 3 %			
	204-881-4		01-2119555270-46		
	Aquatic Chronic 1; H410	•	·		
104-76-7	2-Ethylhexan-1-ol	1 - < 3 %			
	203-234-3		01-2119487289-20		
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335				

Full text of H and EUH statements: see section 16.



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

•					
CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
64742-48-9	918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	50 - < 100 %		
	inhalation: LC5 mg/kg	50 = 4951 mg/l (vapours); dermal: LD50 = >3160 mg/kg; oral: LD50 = >8000			
78-83-1	201-148-0	2-methylpropan-1-ol; iso-butanol	5 - < 10 %		
	inhalation: LC5 mg/kg	50 = > 24 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2830			
27247-96-7	248-363-6	2-Ethylhexyl nitrate	5 - < 10 %		
		50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = >9640 mg/kg			
64742-48-9	918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycles, < 2% aromatics	1 - < 3 %		
	inhalation: LC5 mg/kg	50 = > 4951 mg/l (vapours); dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000			
104-76-7	203-234-3	2-Ethylhexan-1-ol	1 - < 3 %		
		fo = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 2047 mg/kg			

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous



### **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 4 of 14

products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

#### For non-emergency personnel

First aider: Pay attention to self-protection!

#### For emergency responders

Fight fire with normal precautions from a reasonable distance.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

### Further information on handling

Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities



according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 5 of 14

### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

### Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

### Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

#### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL
104-76-7	2-ethylhexan-1-ol	1	5.4		TWA (8 h)	WEL
78-83-1	2-Methylpropan-1-ol	50	154		TWA (8 h)	WEL
		75	231		STEL (15 min)	WEL

### **DNEL/DMEL values**

CAS No	Substance					
DNEL type	DNEL type		Effect	Value		
27247-96-7	2-Ethylhexyl nitrate					
Worker DNEL, long-term		inhalation	systemic	0,35 mg/m³		
Worker DNEL,	Worker DNEL, long-term		systemic	1 mg/kg bw/day		
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,025 mg/kg bw/day		

# PNEC values

CAS No	Substance		
	Environmental compartment		
27247-96-7	2-Ethylhexyl nitrate		
Freshwater		0,0008 mg/l	
Marine water		0,00008 mg/l	
Freshwater sediment		0,00074 mg/kg	
Marine sediment		0,00074 mg/kg	
Micro-organisms in sewage treatment plants (STP)		10 mg/l	
Soil		0,000191 mg/kg	

# Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift



according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 6 of 14

blood (B) Urine (U)

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eve/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166

#### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

**EN ISO 374** 

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

#### **Environmental exposure controls**

Observe legal regulations and provisions.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

liquid Physical state: Colour: green solvent like Odour:

Test method

Print date: 27.11.2023

Melting point/freezing point: not determined 100 °C

Boiling point or initial boiling point and

boiling range:

Flammability: not applicable not applicable

Lower explosion limits: 0,5 vol. % Upper explosion limits: 7 vol. %

Flash point: 33 °C ISO 3679

Auto-ignition temperature: 425 °C not determined Decomposition temperature:

**DIN 19268** pH-Value (at 20 °C):

< 20,5 mm<sup>2</sup>/s DIN EN ISO 3104 Viscosity / kinematic:

(at 40 °C)



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 7 of 14

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

0,8 g/cm³

not determined

# 9.2. Other information

#### Information with regard to physical hazard classes

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

### Other safety characteristics

Evaporation rate:

Solvent separation test:

No information available.

Solvent content:

No information available.

Viscosity / dynamic: No information available. DIN 53019-1
Flow time: No information available. DIN EN ISO 2431

(at 20 °C)

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable, Ignition hazard.

#### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

#### 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

#### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

### **Further information**

Do not mix with other chemicals.



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 8 of 14

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

# Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-48-9	Hydrocarbons, C10-C13	, n-alkanes,	isoalkanes, d	cyclics, <2% aromat	ics		
	oral	LD50 mg/kg	>8000	Rat			
	dermal	LD50 mg/kg	>3160	Rabbit			
	inhalation (4 h) vapour	LC50 mg/l	4951	Rat			
78-83-1	2-methylpropan-1-ol; iso	-butanol					
	oral	LD50 mg/kg	> 2830	Rat			
	dermal	LD50 mg/kg	> 2000	Rat			
	inhalation (4 h) vapour	LC50	> 24 mg/l	Rat			
27247-96-7	2-Ethylhexyl nitrate						
	oral	LD50 mg/kg	>9640	Rat			
	dermal	LD50 mg/kg	>4820	Rabbit			
	inhalation (4 h) vapour	LC50	11 mg/l	Rat			
	inhalation dust/mist	ATE	1,5 mg/l				
64742-48-9	Hydrocarbons, C10-C13	, n-alkanes,	isoalkanes, d	cycles, < 2% aromat	tics		
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 3160	Rabbit			
	inhalation (4 h) vapour	LC50 mg/l	> 4951	Rat			
104-76-7	2-Ethylhexan-1-ol						
	oral	LD50 mg/kg	2047	Rat			
	dermal	LD50 mg/kg	> 3000	Rat			
	inhalation (4 h) vapour	LC50	11 mg/l	Rat			
	inhalation dust/mist	ATE	1,5 mg/l				



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 9 of 14

#### Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 10 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics							
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
78-83-1	2-methylpropan-1-ol; iso-	butanol						
	Acute fish toxicity	LC50 mg/l	1430	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50 mg/l	1250		Desmodesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	1439	48 h	Daphnia magna			
27247-96-7	2-Ethylhexyl nitrate							
	Acute fish toxicity	LC50	2 mg/l	96 h	Danio rerio	Study report (2010)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 12,6	72 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 12,6	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202	
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cycles, < 2% aromatics							
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
104-76-7	2-Ethylhexan-1-ol							
	Acute fish toxicity	LC50 mg/l	17,1	96 h	Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50 mg/l	11,5	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50	39 mg/l	48 h	Daphnia magna			
	_							

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.



according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 11 of 14

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-83-1	2-methylpropan-1-ol; iso-butanol	0,79
27247-96-7	2-Ethylhexyl nitrate	5,24
104-76-7	2-Ethylhexan-1-ol	2,9

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES: wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors;

hazardous waste

### List of Wastes Code - used product

070704

070704

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

#### List of Wastes Code - contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

# Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOBUTANOL (ISOBUTYL ALCOHOL),

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics)

3 14.3. Transport hazard class(es): Ш 14.4. Packing group: 3 Hazard label: F1 Classification code: 274 601 **Special Provisions:** 



# **Safety Data Sheet**

according to UK REACH Regulation

904 injektor Direkt-Schutz 200 ini 62				
Revision date: 19.04.2022	Product code: 1105179	Page 12 of 14		

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOBUTANOL (ISOBUTYL ALCOHOL),

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Classification code:F1Special Provisions:274 601Limited quantity:5 L

Excepted quantity:

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOBUTANOL (ISOBUTYL ALCOHOL),

Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 %

aromates)

E1

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Marine pollutant:no

Special Provisions: 223, 274, 955

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (ISOBUTANOL (ISOBUTYL ALCOHOL),

Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 %

aromates)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:A3Limited quantity Passenger:10 LPassenger LQ:Y344Excepted quantity:E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquids.

14.7. Maritime transport in bulk according to IMO instruments

not applicable



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 13 of 14

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40, Entry 75

Directive 2010/75/EU on industrial

emissions:

No information available.

Directive 2004/42/EC on VOC in paints

Directive 2004/42/EC on voc in

No information available.

and varnishes:

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,6,7,9,11,15,16.

# Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate

ATEL (EC): Short Term Exposure Limit

LC50: Lethal Concentration

EC50:half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate



# **Safety Data Sheet**

according to UK REACH Regulation

# 984 Injektor Direkt-Schutz 200 ml B2

Revision date: 19.04.2022 Product code: 1105179 Page 14 of 14

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure				
Flam. Liq. 3; H226	On basis of test data				
Asp. Tox. 1; H304	Calculation method				
Eye Dam. 1; H318	Calculation method				
Aquatic Chronic 3; H412	Calculation method				

### Relevant H and EUH statements (number and full text)

	,
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)