

according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TUNGREASE FBN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer		
Company name:	TUNAP GmbH & Co. KG	
Street: Place:	Bürgermeister-Seidl-Str. 2 D-82515 Wolfratshausen	
		T-1-f
Telephone:	+ 49 (0) 8171/1600 - 0	Telefax: + 49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
Supplier		
Company name:	TUNAP UK Limited	
Street:	Unit L4 Deacon Trading Estate, Morley Road	
Place:	GB Tonbridge, Kent. TN9 1RA	
Telephone:	+44 (0)1732 365163	
e-mail:	sdb@tunap.com	
Internet:	www.tunap.co.uk	
1.4. Emergency telephone	111 NHS (National Health Service)	
number:		

n

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 2 of 8

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 3 of 8

by technical means. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

a no restriction b End of exposure or end of shift c at long-term exposure: d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following:



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 4 of 8

Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Odour:characteristicPl-Value (at 20 °C):DiN 19268Charges in the physical stateInterpretein (Construction)Metting point:not determinedSoling point or initial boiling point and> 100 °CPlash point:> 300 °CFlasmability> 300 °CSoling Construction> 300 °CSoling Construction> 300 °CSoling ConstructionNot determinedSoling ConstructionNot determinedNatoxidising.Not status statu	Physical state:	pasty	
Test method pH-Value (at 20 °C): DIN 19268 Changes in the physical state not determined Melting point or initial boiling point and > 100 °C boiling range: > 300 °C Flash point: > 300 °C Flash point: > 300 °C Solid: not determined Gas: not determined Solid: not determined Gas: not determined Solid: not determined Gas: not determined Gas: not determined Gas: not determined Gas: not determined Decomposition temperature: not determined Not oxidising. JN 50757 Vapour pressure: not determined Decause the substance is known to be insoluble in water: insoluble in water Not oxidising. JN 50757 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water: Int determined JN 5019-1 Viscosity / dynamic: DIN 50151 Viscosity / dynamic: DIN 50104 Viscosity /	Colour:	white	
pH-Value (at 20 °C): DIN 19268 Changes in the physical state Metting point: not determined Boiling point or initial boiling point and boiling range: Flash point: > 300 °C SO 3679 Flammability Solid: not determined Gas: not applicable Solid: not determined Gas: not applicable Decomposition temperature Solid: not determined Gas: not applicable Decomposition temperature: not determined Gas: not applicable Decomposition temperature: not determined Density (at 20 °C): 1,9 g/cm Not oxidising. Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm Not oxidising. Vater solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / dynamic: DIN 53019-1 Viscosity / dynamic: DIN EN ISO 3104 (at 40 °C) Relative vapour density: not determined Evaporation rate: not determined Evaporation rate: not determined Evaporation rate: not determined	Gubui.		Tost mothod
Changes in the physical state Melting point: not determined Boiling point or initial boiling point and boiling range: Flash point: > 300 °C SO 3679 Flammability Solid: not determined Gas: not applicable Self-ignition temperature Solid: not determined Gas: not applicable Decomposition temperature: not determined Gas: not applicable Decomposition temperature: not determined Density (at 20 °C): 1,9 g/cm ³ Vater solubility: The study does not neet to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: (at 40 °C) Flow time: (at 40 °C) Relative vapour density: not determined Evaporation rate: not determined Evaporation rate: not determined Evaporation rate: not determined	nH-Value (at 20 °C) [.]		
Melting point: not determined Boiling point or initial boiling point and boiling range: > 100 °C Flash point: > 300 °C ISO 3679 Flash point: not determined Gas: Solid: not applicable ISO 400 °C Gas: not applicable ISO 400 °C Decomposition temperature: not determined ISO 400 °C Oxidizing properties not determined ISO 100 °C Not oxidising. IN 51757 IN 51757 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. IN 50191 Solubility in other solvents not determined IN 500 101 °C IN 500 101 °C Partition coefficient n-octanol/water: not determined IN 500 101 °C Viscosity / dynamic: DIN 500 101 °C IN 500 101 °C Viscosity / dynamic: DIN EN ISO 2431 °C IN EN ISO 2431 °C (at 40 °C) IN EN ISO 243			511110200
Boiling point or initial boiling point and boiling range: > 100 °C Flash point: > 300 °C ISO 3679 Flash point: Not determined Gas: Solid: not applicable ISO 3679 Self-ignition temperature not applicable ISO 3679 Solid: not applicable ISO 3679 Solid: not determined ISO 3679 Gas: not determined ISO 3679 Pactizing properties not determined ISO 3679 Nato xidising. IN 51757 ISO 1577 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. ISO 3019 Partition coefficient n-octanol/water: not determined ISO 3019 Partition coefficient n-octanol/water: IN 50 3104 ISO 3019 Viscosity / dynamic: IN EN ISO 3104 IN EN ISO 3104 (at 40 °C) IN EN ISO 3104 IN EN ISO 3104 Flow time: IN DIN EN ISO 3104 IN EN		not determined	
boiling range: Flash point: > 300 °C ISO 3679 Flammability Solid: not determined Gas: not applicable Self-ignition temperature Solid: not determined Gas: not applicable Decomposition temperature: not determined Gas: not applicable Decomposition temperature: not determined Oxidizing properties Not oxidising. Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm Vater solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / kinematic: (at 40 °C) Flow time: (at 20 °C): not determined Flow time: (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined Autor and termined Autor and termined Autor and termined Flow time: (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined Autor and termined Autor and termined Autor and termined Autor and termined Autor and termined Flow time: (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined Autor and termined Autor and	• ·		
Flammability not determined Solid: not applicable Gas: not applicable Solid: not determined Solid: not applicable Solid: not applicable Decomposition temperature: not determined Not oxidising. not determined Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm ³ Vater solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN S3019-1 (at 40 °C) DIN EN ISO 3104 Flow time: not determined Relative vapour density: not determined Evaporation rate: not determined Flow time: not determined Evaporation rate: not determined			
Solid:not determinedGas:not applicableSelf-ignition temperaturenot applicableSolid:not determinedGas:not applicableDecomposition temperature:not determinedOxidizing propertiesnot determinedNot oxidising.not determinedVapour pressure:not determinedDensity (at 20 °C):1,9 g/cm³Vater solubility:The study does not need to be conducted because the substance is known to be insoluble in water.Solubility in other solvents not determinedDIN 51757Viscosity / dynamic:DIN 53019-1Viscosity / kinematic: (at 40 °C)DIN EN ISO 3104Flow time: (at 20 °C)Not determinedFlow time: (at 20 °C)Not determinedRelative vapour density:not determinedFlow time: (at 20 °C)Not determinedFlow time: (at 20 °C)not determinedFlow time: (at 20 °C)not determinedFlow time: (at 20 °C)Not determinedRelative vapour density:not determinedEvaporation rate: DUN EN ISO 2431Cotter information	Flash point:	> 300 °C	ISO 3679
Gas: not applicable Self-ignition temperature Solid: not determined Gas: not applicable Decomposition temperature: not determined Oxidizing properties Not oxidising. not determined Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm ³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined DIN 51757 Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: (at 20 °C) DIN EN ISO 3104 Flow time: (at 20 °C) IN EN ISO 2431 Relative vapour density: not determined Evaporation rate: not determined Parterition coefficient n-octanol/water: IN EN ISO 2431 Viscosity / kinematic: (at 20 °C) DIN EN ISO 2431 Relative vapour density: not determined Evaporation rate: not determined Evaporation rate: not determined	Flammability		
Self-ignition temperature not determined Solid: not applicable Gas: not applicable Decomposition temperature: not determined Oxidizing properties not determined Not oxidising. not determined Density (at 20 °C): 1,9 g/cm³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined DIN 53019-1 Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN 53019-1 (at 40 °C) DIN EN ISO 3104 Flow time: DIN EN ISO 3104 (at 20 °C) not determined Evaporation rate: not determined Evaporation rate: not determined	Solid:	not determined	
Solid: not determined Gas: not applicable Decomposition temperature: not determined Oxidizing properties not determined Not oxidising. not determined Density (at 20 °C): 1,9 g/cm³ Dust S1757 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) DIN EN ISO 2431 Flow time: not determined Relative vapour density: not determined Evaporation rate: not determined	Gas:	not applicable	
Gas: not applicable Decomposition temperature: not determined Oxidizing properties Not oxidising. not determined Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. IN 51757 Solubility in other solvents not determined DIN 51757 Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 50319-1 Viscosity / kinematic: (at 20 °C) DIN EN ISO 3104 Flow time: (at 20 °C) IN the substance is not determined Relative vapour density: not determined Evaporation rate: not determined Partition rate: not determined			
Decomposition temperature: not determined Oxidizing properties Not oxidising. not determined Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined DIN 51757 Partition coefficient n-octanol/water: not determined Viscosity / kinematic: (at 20 °C) DIN 53019-1 Flow time: (at 20 °C) DIN EN ISO 2431 Relative vapour density: not determined Evaporation rate: not determined			
Oxidizing properties Not oxidising. Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm³ DIN 51757 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: (at 40 °C) DIN EN ISO 3104 (at 40 °C) Flow time: (at 20 °C) DIN EN ISO 2431 (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined			
Not oxidising. not determined Vapour pressure: not determined Density (at 20 °C): 1,9 g/cm³ Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) Flow time: DIN EN ISO 2431 (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined		not determined	
Density (at 20 °C):1,9 g/cm³DIN 51757Water solubility:The study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted because the substance is known to be insoluble in water.Image: Constant of the study does not need to be conducted to study does not need to be conducted to study does not determinedImage: Constant of the study does not need to be conducted to study does not determinedImage: Constant of the study does not need to be conducted to study does not determinedImage: Constant of the study does not need to study does not determinedFlow time: (at 20 °C)Image: Constant of the study does not determinedImage: Constant of the study does not determinedImage: Constant of the study does not determinedFlow time: (at 20 °C)Image: Constant of the study does not determinedImage: Constant of the study does not determinedImage: Constant of the study does not determinedFlow time: (at 20 °C)Image: Constant of the study does not determinedImage: Constant of the study does not determinedImage: Constant of			
Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) Flow time: DIN EN ISO 2431 (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined	Vapour pressure:	not determined	
because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) Flow time: DIN EN ISO 2431 (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined . Other information	Density (at 20 °C):	1,9 g/cm³	DIN 51757
not determined Partition coefficient n-octanol/water: not determined Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) DIN EN ISO 2431 Flow time: DIN EN ISO 2431 (at 20 °C) not determined Relative vapour density: not determined Evaporation rate: not determined A. Other information DIN EN ISO 2431	Water solubility:	because the substance is known to be	
Viscosity / dynamic: DIN 53019-1 Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) DIN EN ISO 3104 Flow time: DIN EN ISO 2431 (at 20 °C) DIN EN ISO 2431 Relative vapour density: not determined Evaporation rate: not determined 2. Other information Hermined	-		
Viscosity / kinematic: DIN EN ISO 3104 (at 40 °C) Flow time: DIN EN ISO 2431 (at 20 °C) Relative vapour density: not determined Evaporation rate: not determined 2. Other information	Partition coefficient n-octanol/water:	not determined	
(at 40 °C) DIN EN ISO 2431 Flow time: DIN EN ISO 2431 (at 20 °C) not determined Relative vapour density: not determined Evaporation rate: not determined 2. Other information Hermined	Viscosity / dynamic:		DIN 53019-1
(at 20 °C)Relative vapour density:not determinedEvaporation rate:not determinedCher information			DIN EN ISO 3104
Evaporation rate: not determined			DIN EN ISO 2431
2. Other information	Relative vapour density:	not determined	
	Evaporation rate:	not determined	
Solid content: not determined	2. Other information		
	Solid content:	not determined	



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 5 of 8

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. No indications of human carcinogenicity exist. No indications of human germ cell mutagenicity exist. No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 6 of 8

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150110 PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

,	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Print date: 03.05.2021	TUNGREASE FBN Product code: 1105931	Page 7 of 8
		1 ugo 1 or o
<u>14.4. Packing group:</u> Marine pollutant:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No information available.		
14.7. Transport in bulk according to Annex I not applicable	I of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	No information available.	
2004/42/EC (VOC):	No information available.	
Additional information Safety Data Sheet according to Regula	tion (EC) No. 1907/2006 (REACH)	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for subs	tances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
ADR: Accord européen sur le transport concerning the International Carriage of RID: Règlement international concerna (Regulations Concerning the Internatio IATA: International Air Transport Assoc IMDG: International Maritime Code for GHS: Globally Harmonized System of EINECS: European Inventory of Existin ELINCS: European List of Notified Che	ation	



according to Regulation (EC) No 1907/2006

TUNGREASE FBN

Print date: 03.05.2021

Product code: 1105931

Page 8 of 8

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)