

according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TUNGREASE CP-2/50 400g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer Company name: Street: Place:	TUNAP GmbH & Co. KG Bürgermeister-Seidl-Str. 2 D-82515 Wolfratshausen	
Telephone: e-mail: Internet:	+ 49 (0) 8171/1600 - 0 sdb@tunap.com www.tunap.com	Telefax:+ 49 (0) 8171/1600 - 40
Supplier Company name: Street: Place:	TUNAP UK Limited Unit L4 Deacon Trading Estate, Morley Road GB Tonbridge, Kent. TN9 1RA	
Telephone: e-mail: Internet:	+44 (0)1732 365163 sdb@tunap.com www.tunap.co.uk	
<u>1.4. Emergency telephone</u> <u>number:</u>	111 NHS (National Health Service)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

EUH210 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 2 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
68037-01-4	Dec-1-ene, homopolymer, hydroge	enated		50 - <= 100 %	
	500-183-1		01-2119486452-34		
	Asp. Tox. 1; H304		•		
97675-24-6	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts				
	307-593-8				
	Eye Irrit. 2; H319				
84989-14-0	Benzenesulfonic acid, 4-C10-13-se	3 - < 5 %			
	284-903-7				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	n. 1, Aquatic Chronic 3; H302 H315	H318 H412		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 3 of 9

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166 Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	pasty
Colour:	beige
Odour:	mild

pH-Value (at 20 °C):

Changes in the physical state

Test method

DIN 19268



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g				
Print date: 03.05.2021	Product code: 1106119	Page 5 of 9		
Melting point:	not determined			
Boiling point or initial boiling point and boiling range:	> 150 °C			
Flash point:	> 200 °C	ISO 3679		
Flammability Solid:	not determined			
Gas:	not applicable			
Self-ignition temperature Solid: Gas:	not determined not applicable			
Decomposition temperature:	not determined			
Oxidizing properties Not oxidising.				
Vapour pressure:	not determined			
Density (at 20 °C):	0,958 g/cm³	DIN 51757		
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.			
Solubility in other solvents not determined				
Partition coefficient n-octanol/water:	not determined			
Viscosity / dynamic:		DIN 53019-1		
Viscosity / kinematic: (at 40 °C)		DIN EN ISO 3104		
Flow time: (at 20 °C)		DIN EN ISO 2431		
Relative vapour density:	not determined			
Evaporation rate:	not determined			
9.2. Other information				
Solid content:	not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 6 of 9

products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

Chemical name					
Exposure route	Dose		Species	Source	
Dec-1-ene, homopolymer, hydrogenated					
oral	LD50	> 5000 mg/kg	Rat		
dermal	LD50	> 2000 mg/kg	Rabbit		
inhalation (4 h) aerosol	LC50	> 5,2 mg/l	Rat		
24-6 Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts					
oral	LD50	>5000 mg/kg	Rat		
dermal	LD50	>5000 mg/kg	Rabbit		
inhalation (4 h) aerosol	LC50	>5 mg/l	Rat		
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts					
oral	ATE	500 mg/kg			
	Exposure route Dec-1-ene, homopolymer, hydroger oral dermal inhalation (4 h) aerosol Benzene, C9-C13-alkyl derivs., distr oral dermal inhalation (4 h) aerosol Benzenesulfonic acid, 4-C10-13-sec	Exposure route Dose Dec-1-ene, homopolymer, hydrogenated oral LD50 dermal LD50 inhalation (4 h) aerosol LC50 Benzene, C9-C13-alkyl derivs., distn. residues, oral LD50 dermal LD50 inhalation (4 h) aerosol LC50 Benzene, C9-C13-alkyl derivs., distn. residues, oral LD50 dermal LD50 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	Exposure routeDoseDec-1-ene, homopolymer, hydrogenatedoralLD50dermalLD50inhalation (4 h) aerosolLC50Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calciuoralLD50bernalLD50coralLD50bernalLD50coralLD50bernalLD50coralLD50bernalLD50bernalLD50bernalLD50bernalLC50coralLC50bernalLC50coralLC50bernalLC50coralLC50bernalLC50coralLC50bernalLC50bernalLC50bernalLC50coralLC50bernalLC50 <td>Exposure routeDoseSpeciesDec-1-ene, homopolymer, hydrogenatedoralLD50 > 5000 mg/kgRatdermalLD50 > 2000 mg/kgRabbitinhalation (4 h) aerosolLC50 > 5,2 mg/lRatBenzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium saltsoraloralLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatbitinhalation (4 h) aerosolLC50 > 5 mg/lRatBenzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium saltsImage: Second second</td>	Exposure routeDoseSpeciesDec-1-ene, homopolymer, hydrogenatedoralLD50 > 5000 mg/kgRatdermalLD50 > 2000 mg/kgRabbitinhalation (4 h) aerosolLC50 > 5,2 mg/lRatBenzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium saltsoraloralLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatdermalLD50 > 5000 mg/kgRatbitinhalation (4 h) aerosolLC50 > 5 mg/lRatBenzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium saltsImage: Second	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Bridging principle "Substantially similar mixtures".

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 7 of 9

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source			
68037-01-4	Dec-1-ene, homopolymer, hydro	Dec-1-ene, homopolymer, hydrogenated							
	Acute fish toxicity	LC50	> 1000 mg/l		Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50	>1000 mg/l	72 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna				
97675-24-6	Benzene, C9-C13-alkyl derivs., distn. residues, sulfonated, calcium salts								
	Acute fish toxicity	LC50	>10000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)				
	Acute algae toxicity	ErC50	>150 mg/l	96 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50	>1000 mg/l	48 h	Daphnia magna (Big water flea)				

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

according to Regulation (EC) No 1907/2006



8 of 9

	TUNGREASE CP-2/50 400g	
Print date: 03.05.2021	Product code: 1106119	Page
Land transport (ADR/RID)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group: Marine pollutant:	No dangerous good in sense of this transport regulation. no	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No information available.		
14.7. Transport in bulk according to Annex	x II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	No information available.	
2004/42/EC (VOC):	No information available.	
Additional information		
Safety Data Sheet according to Regu	ulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the work protection guideline' (94/33/EC).	'juvenile
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
	ostances in this mixture were not carried out.	

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

TUNGREASE CP-2/50 400g

Print date: 03.05.2021

Product code: 1106119

Page 9 of 9

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate STEL (EC) Short Term Exposure Limit LC50: Lethal Concentration EC50: half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.H304 May be fatal if swallowed and enters airways

11001	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)