

Revision date: 25.06.2024

130 Special Solvent ALL Product code: 1106516

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

130 Special Solvent ALL

UFI:

DWM3-R0E2-Y007-P15N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

rust remover

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
E-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aerosol 1; H222-H229 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:

Danger



Hazard statements

H222 Extremely flammable aerosol.H229 Pressurised container: May burst if heated.H319 Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 2 of 13

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP I	Regulation)		
64-17-5	ethanol			20 - < 25 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2;	H225 H319		
115-10-6	dimethyl ether			10 - < 20 %
	204-065-8	603-019-00-8	01-2119472128-37	
	Flam. Gas 1, Liquefied g	gas; H220 H280		
5949-29-1	citric acid			3 - < 5 %
	201-069-1			
	Eye Irrit. 2; H319			
112-34-5	2-(2-butoxyethoxy)ethar	3 - < 5 %		
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
67-63-0	2-Propanol	1 - < 3 %		
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2,	STOT SE 3; H225 H319 H336		
64366-70-7	Ethoxylated propoxylate	d 2-ethyl-1-hexanol		1 - < 3 %
	Eye Irrit. 2; H319			
1336-21-6	ammonia 24,9 %			0.1 - < 1 %
	215-647-6		01-2119488876-14	
	Skin Corr. 1B, STOT SE	3, Aquatic Acute 1, Aquatic Chronic	2; H314 H335 H400 H411	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	. Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol	20 - < 25 %
	inhalation: LC	250 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg Eye Irrit. 2; H319: >= 50 - 100	
5949-29-1	201-069-1	citric acid	3 - < 5 %
	oral: LD50 =	11700 mg/kg	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	3 - < 5 %
	dermal: LD50	= 4120 mg/kg; oral: LD50 = 5660 mg/kg	
67-63-0	200-661-7	2-Propanol	1 - < 3 %
	inhalation: LC	50 = 47,5 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5280 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 3 of 13

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 4 of 13

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 5 of 13

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
115-10-6	Dimethyl ether	400	766		TWA (8 h)	WEL
		500	958		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL
	1					

DNEL/DMEL values

posure route	Effect	Value
nalation	systemic	1894 mg/m³
nalation	systemic	471 mg/m³

PNEC values

CAS No	Substance	
Environment	al compartment	Value
115-10-6	dimethyl ether	
Freshwater		0,155 mg/l
Freshwater (1,549 mg/l	
Marine wate	r	0,016 mg/l
Freshwater s	sediment	0,681 mg/kg
Marine sedir	nent	0,069 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	160 mg/l
Soil		0,045 mg/kg

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 6 of 13

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: AX Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	liquid		
	Colour:	colorless, clear		
				Test method
	Melting point/freezing point:		not determined	
	Boiling point or initial boiling point and		-24,8 °C	
	boiling range:			
	Flammability:		not applicable	ISO 10156
			not applicable	
	Lower explosion limits:		2,7 vol. %	
	Upper explosion limits:		32 vol. %	
	Auto-ignition temperature:		240 °C	
	Decomposition temperature:		not determined	
	pH-Value (at 20 °C):		5	DIN 19268
	Water solubility:		easily soluble	
	Solubility in other solvents			
	not determined			
	Partition coefficient n-octanol/water:		not determined	
	Vapour pressure:		not determined	
	Density (at 20 °C):		0,982 g/cm³	DIN 51757
	Relative vapour density:		not determined	
<u>9.</u> 2	2. Other information			
	Information with regard to physical haza	rd classes		
	Sustaining combustion:		No data available	
	Self-ignition temperature			
	Solid:		not applicable	
	Gas:		not applicable	
	Oxidizing properties			
	Not oxidising.			
	Other safety characteristics			



Safety Data Sheet

according to UK REACH Regulation

130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

not determined

not determined

No information available.

No information available.

No information available.

Page 7 of 13

Evaporation rate: Solid content: Sublimation point: Softening point: Pour point:

Further Information

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



Safety Data Sheet

according to UK REACH Regulation

130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 8 of 13

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-17-5	ethanol						
	oral	LD50 mg/kg	6200	Rat	IUCLID		
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS		
5949-29-1	citric acid						
	oral	LD50 mg/kg	11700	Rat			
112-34-5	2-(2-butoxyethoxy)ethan	ol; diethylene	glycol mone	obutyl ether			
	oral	LD50 mg/kg	5660	Rat			
	dermal	LD50 mg/kg	4120	Rabbit			
67-63-0	2-Propanol						
	oral	LD50 mg/kg	5280	Rat			
	dermal		> 2000	Rabbit			
	inhalation (4 h) vapour		47,5 mg/l	Rat			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact.

Reference to other sections: 2.1, 4.2.

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 9 of 13

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol			-	_		
	Acute crustacea toxicity	EC50 14221 mg/l	9268 -	48 h	Daphnia magna	IUCLID	
5949-29-1	citric acid						
	Acute fish toxicity	LC50	440 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50	120 mg/l	48 h	Daphnia magna		
112-34-5	2-(2-butoxyethoxy)ethance	ol; diethylene g	lycol monc	butyl eth	er		
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
67-63-0	2-Propanol						
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
1336-21-6	ammonia 24,9 %						
	Acute fish toxicity	LC50 mg/l	0,53		Onchorhynchus mykiss		
	Acute crustacea toxicity	EC50	24 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
67-63-0	2-Propanol						
	OECD Prüfrichtlinie 301E	95 %	21				
	leicht biologisch abbaubar						
64366-70-7	Ethoxylated propoxylated 2-ethyl-1-hexanol		_				
	OECD 301F	> 60%	28				
	Easily biodegradable (concerning to the criteria of the OECD)						

12.3. Bioaccumulative potential

The product has not been tested.



130 Special Solvent ALL

Revision date: 25.06.2024

Product code: 1106516

Page 10 of 13

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,31
115-10-6	dimethyl ether	0,1
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)
67-63-0	2-Propanol	0,05
1336-21-6	ammonia 24,9 %	-1,38

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2



et

according to UK REACH Regulation

	130 Special	Solvent ALL	
Revision date: 25.06.2024	-	ode: 1106516	Page 11 of 13
Tunnel restriction code:	D		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 1950		
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2		
14.4. Packing group:	-		
Hazard label:	2.1		
Classification code:	5F		
Special Provisions:	190 327 344 625		
Limited quantity:	1 L		
Excepted quantity:	E0		
Marine transport (IMDG)			
<u>14.1. UN number or ID number:</u>	UN 1950		
	AEROSOLS		
14.2. UN proper shipping name:			
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
Marine pollutant:	no	044,004,050	
Special Provisions:	63, 190, 277, 327,	344, 381,959	
Limited quantity:	1000 mL		
Excepted quantity:	E0		
EmS:	F-D, S-U		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number or ID number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS, flam	mable	
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
Special Provisions:	A145 A167 A802		
Limited quantity Passenger:	30 kg G		
Passenger LQ:	Y203		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:		203	
IATA-max. quantity - Passenger:		75 kg	
IATA-packing instructions - Cargo:		203	
IATA-max. quantity - Cargo:		150 kg	
4.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
	110		
14.6. Special precautions for user			
Warning: Flammable gases.			
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	ulations/legislation s	pecific for the substance or mixture	
EU regulatory information			
Restrictions on use (REACH, annex XVII)			
	•		
Entry 3, Entry 40, Entry 55, Entry 75			
Directive 2010/75/EU on industrial	No information ava	allable.	

emissions:



	130 Special Solvent ALL	
Revision date: 25.06.2024	Product code: 1106516	Page 12 of 13
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.	
Information according to Directive 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS	
Additional information Safety Data Sheet according to Regulat Aerosol Directive (75/324/EEC)	ion (EC) No. 1907/2006 (REACH)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC).	venile
Water hazard class (D):	1 - slightly hazardous to water	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,9,10.

Abbreviations and acronyms

۱b	breviations and acronyms
	Flam. Gas: Flammable gases
	Aerosol: Aerosols
	Liquefied gas
	Flam. Liq: Flammable liquids
	Skin Corr: Skin corrosion
	Eye Irrit: Eye irritation
	STOT SE: Specific target organ toxicity - single exposure
	Aquatic Acute: Acute aquatic hazard
	Aquatic Chronic: Chronic aquatic hazard
	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement
	concerning the International Carriage of Dangerous Goods by Road)
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
	(Regulations Concerning the International Transport of Dangerous Goods by Rail)
	IATA: International Air Transport Association
	IMDG: International Maritime Code for Dangerous Goods
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level
	WEL (UK): Workplace Exposure Limits
	TWA (EC): Time-Weighted Average
	ATE: Acute Toxicity Estimate
	STEL (EC) Short Term Exposure Limit
	LC50: Lethal Concentration
	EC50: half maximal Effective Concentration
	ErC50: means EC50 in terms of reduction of growth rate

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Eye Irrit. 2; H319	Bridging principle "Aerosols"

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.



Safety Data Sheet

according to UK REACH Regulation

Revision date: 25.06.2024	Product code: 1106516	Page 13 of 13
H280	Contains gas under pressure; may explode if heated.	
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)