

TUNAP

291 Metal Protective Varnish

Polymer repair paint protects metal from corrosion. Based on high-grade electrochemically active zinc metal powder combined with ultra-fine metal pigments. Suitable for damage to hot-dip and electrolytically zinc-plated surfaces.



Properties

- ✓ Lasting corrosion protection for treated surfaces
- ✓ Aligns damaged points on the galvanised surface
- ✓ Very long-term corrosion protection
- ✓ Can be painted over and suitable for stove enamelling
- ✓ Thermally stable up to +500°C
- ✓ Resistant to salt water
- ✓ Light silver paint film

Application area

- ✓ For maintaining the rust perforation guarantee on replacement parts based on the factory conditions for galvanised bodywork
- ✓ On all damaged, hot-dip and electrolytically galvanised surfaces
- ✓ After all welding work on the bodywork and chassis
- ✓ On exhaust systems, wheel rims, engine components
- ✓ Before spot welding

Instructions

Shake can for approx. 2 minutes. Paint greased components twice from a distance of approx. 20 cm in a back and forth motion.

Notice

- ✓ Can be painted over with commercially available paints after:
- ✓ 24 hours air drying (from approx. +20°C)
- ✓ 1 hour stove enamel drying (approx. +80°C)
- ✓ Dust-dry after approx. 5 minutes at +20°C.

Product Description	Contents	Packaging Unit	Article Number
Metal Protective Varnish	300 ml	12 PCS	K2291030AB

