



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

113 Brake paste MP11300200AB

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

lubricant

**1.3. Details of the supplier of the safety data sheet**

Company name:	TUNAP Deutschland Vertriebs GmbH & Co. Betriebs KG	
Street:	Bürgermeister-Seidl-Str. 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600 - 0	Telefax: +49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	

**1.4. Emergency telephone number:** +49 (0) 30 30 686 790 (Giftnotruf Berlin)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:  
 Aerosol: Aerosol 3  
 Hazard Statements:  
 Pressurised container: May burst if heated.

**2.2. Label elements**

Signal word: Warning

**Hazard statements**

H229 Pressurised container: May burst if heated.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P280 Wear eye/face protection..  
 P251 Do not pierce or burn, even after use.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air.

**After contact with skin**

Wash with plenty of water.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 2 of 8

**After ingestion**

Rinse mouth immediately and drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

The product itself does not burn.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Dust must be exhausted directly at the point of origin. When using do not eat, drink, smoke, sniff.

**Advice on protection against fire and explosion**

Heating causes rise in pressure with risk of bursting.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.

**Advice on storage compatibility**

Do not store together with: Food and feedingstuffs

**Further information on storage conditions**

Protect from frost. Protect against direct sunlight.



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 3 of 8

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
14807-96-6	Talc respirable dust	-	1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

**Additional advice on limit values**

- a no restriction
- b End of exposure or shift
- c in long-term exposure: after several shifts
- d prior to next shift

STEL (EC) : Short Term Exposure Limit

TWA (EC): time-weighted average

U: Urea

B: Blood

**8.2. Exposure controls****Protective and hygiene measures**

Wash hands before breaks and after work. When using do not eat or drink.

**Eye/face protection**

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

DIN EN 374

**Skin protection**

Only wear fitting, comfortable and clean protective clothing.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Aerosol
Colour:	grey
Odour:	odourless

**Test method**

pH-Value (at 20 °C):

not applicable DIN 19268



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 4 of 8

**Changes in the physical state**

Melting point:	No information available.
Initial boiling point and boiling range:	> 200 °C
Sublimation point:	No information available.
Softening point:	No information available.
Flash point:	> 100 °C
Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Ignition temperature:	No information available.
Vapour pressure:	No information available.
Density:	1,2 g/cm <sup>3</sup> DIN 51757
Bulk density:	No information available.
Water solubility:	insoluble
Partition coefficient:	No information available.
Viscosity / dynamic:	No information available.
Viscosity / kinematic:	No information available.
Flow time:	No information available.
Vapour density:	No information available.
Evaporation rate:	No information available.
Solvent separation test:	No information available.
Solvent content:	No information available.

**9.2. Other information**

Solid content: No information available.

density: Data apply to technical substance.

pressure: - bar (20°C)

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Heating causes rise in pressure with risk of bursting.

**10.4. Conditions to avoid**

Do not expose to temperatures above 50 °C.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**Further information**

No information available.

**SECTION 11: Toxicological information**



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 5 of 8

**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

This mixture is classified as not hazardous according to 1999/45/EC.

**SECTION 12: Ecological information****12.2. Persistence and degradability**

There are no data available on the mixture itself. AOX (mg/l): 0

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the criteria for classification as PBT or vPvB.

**12.6. Other adverse effects**

No information available.

**Further information**

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Waste disposal number of waste from residues/unused products**



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 6 of 8

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances  
Classified as hazardous waste.

**Waste disposal number of used product**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances  
Classified as hazardous waste.

**Waste disposal number of contaminated packaging**

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.2  
 Classification code: 5A  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Transport category: 3  
 Tunnel restriction code: E

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.2  
 Classification code: 5A  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L

**Marine transport (IMDG)**

**14.1. UN number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2, see SP63  
 Marine pollutant: No  
 Special Provisions: 63, 190, 277, 327, 344, 959  
 Limited quantity: See SP277  
 EmS: F-D, S-U

**Air transport (ICAO)**

**14.1. UN number:** UN 1950



according to Regulation (EC) No 1907/2006

**113 Brake paste MP11300200AB**

Print date: 22.06.2016

Product code: MP11300200AB

Page 7 of 8

**14.2. UN proper shipping name:** AEROSOLS, non-flammable**14.3. Transport hazard class(es):** 2.2**14.4. Packing group:** -

Hazard label: 2.2

Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 203

IATA-max. quantity - Passenger: 75 kg

IATA-packing instructions - Cargo: 203

IATA-max. quantity - Cargo: 150 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

1999/13/EC (VOC): EU/CH -

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**Additional information**

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P. Classification and labeling as carcinogenic is not necessary.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

**Relevant H and EUH statements (number and full text)**

H229 Pressurised container: May burst if heated.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on

## Safety Data Sheet



according to Regulation (EC) No 1907/2006

### 113 Brake paste MP11300200AB

Print date: 22.06.2016

Product code: MP11300200AB

Page 8 of 8

our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*