


micrologic[®]

157 Engine Interior Cleaner

Breaks down deposits in the engine oil system and keeps them in a suspension. Solvent-free solution based on low-viscosity cleaning agents. When used prior to every oil change, this cleaning agent for the inside of engines protects the new oil against previous contamination.



Properties

- ✓ Free of volatile organic compounds (VOCs) and solvents
- ✓ Contains low-viscosity detergents to deliver outstanding cleaning results
- ✓ Removes oil sludge deposits from the engine oil system
- ✓ Protects the engine from being damaged as a result of blocked oil channels and bore holes
- ✓ Contains additives to lubricate components during the cleaning process
- ✓ Does not contain any chlorine, phosphates, nitrates or heavy metals
- ✓ Can be disposed of with the used oil

Application area

- ✓ In case of oil sludge deposits
- ✓ In case of a loss of compression from the piston rings
- ✓ In the case of hydraulic valve lifters knocking
- ✓ When changing oil to ensure that the new engine oil is not contaminated by any residues of used oil

Instructions

Prior to changing the oil, add the product to an engine that is at operating temperature. Observe and adhere to the minimum and maximum oil levels. Allow the engine to run at idle speed for a maximum of 20 minutes with the vehicle at a standstill. Then change the oil and filter immediately afterwards.

Dosing

- 200 ml: Sufficient for up to 4 litres of engine oil.
- 400 ml: Sufficient for up to 6 litres of engine oil.
- 950 ml: Sufficient for up to 15 litres of engine oil.

Notice

- ✓ Caution! Risk of engine damage in higher dilutions.

Product Description	Contents	Packaging Unit	Article Number
Engine Interior Cleaner	200 ml	24 PCS	MP15700200Y

