

according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

183 System Agent Concentrate MP18300200A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Additive

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP Deutschland Vertriebs GmbH & Co.	Betriebs KG
Street:	Bürgermeister-Seidl-Str. 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600 - 0	Telefax: +49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	+49 (0) 30 30 686 790 (Giftnotruf Berlin)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Aspiration hazard: Asp. Tox. 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

Danger

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

Signal word:

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A						
Print date: 16.04.2018	Product code: 1101327	Page 2 of 12				
H412	Harmful to aquatic life with long lasting effects.					
Precautionary statemer	nts					
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.					
P260	Do not breathe vapours.					
P280	Wear eye/face protection.					
P302+P352	IF ON SKIN: Wash with plenty of Water and soap					
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P337+P313	If eye irritation persists: Get medical advice/attention.					
P314	Get medical advice/attention if you feel unwell.					
Special labelling of cert	ain mixtures					
EUH044	Risk of explosion if heated under confinement.					
EUH066	Repeated exposure may cause skin dryness or cracking.					
2.3. Other hazards						

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulati	on (EC) No. 1272/2008 [0	CLP]	
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes	, iso-alkanes, cyclics, < 2	% aromates	50 - <= 100 %
	919-857-5		01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox.	1; H226 H336 H304 EUH	1066	
27247-96-7	2-Ethylhexyl nitrate	10 - < 20 %		
	248-363-6		01-2119539586-27	
	Acute Tox. 4, Acute Tox. 4, Acute To EUH066			
104-76-7	2-Ethylhexan-1-ol	10 - < 20 %		
	203-234-3		01-2119487289-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit.			
128-37-0	2,6-di-tert-butyl-p-cresol	0.1 - < 1 %		
	204-881-4		01-2119565113-46	
	Aquatic Acute 1, Aquatic Chronic 1;			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 3 of 12

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 4 of 12

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Advice on storage compatibility

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

Additive

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
27247-96-7	2-Ethylhexyl nitrate						
Worker DNEL	., long-term	inhalation	systemic	0,35 mg/m³			
Worker DNEL	., long-term	dermal	systemic	1 mg/kg bw/day			
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	0,025 mg/kg bw/day			



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 5 of 12

PNEC values

CAS No	Substance			
Environmental compartment Value				
27247-96-7	2-Ethylhexyl nitrate			
Freshwater 0,0008 mg/l				
Marine water		0,00008 mg/l		
Freshwater sediment 0,00074		0,00074 mg/kg		
Marine sediment 0,00		0,00074 mg/kg		
Micro-organisms in sewage treatment plants (STP)		10 mg/l		
Soil		0,000191 mg/kg		

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B) Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166 Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min Thickness of the glove material 0,45 mm DIN EN 374

DIN EN 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: Liquid Colour: characteristic Odour: solvent like Test method pH-Value (at 20 °C): not determined DIN 19268 Changes in the physical state Melting point: not determined Initial boiling point and boiling range: > 100 °C 36 °C ISO 3679 Flash point: Flammability Solid: not applicable Gas: not applicable Lower explosion limits: 0,6 vol. % Upper explosion limits: 12,7 vol. % Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidising. Vapour pressure: not determined Density (at 20 °C): 0,8125 g/cm3 DIN 51757 Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water. Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: No information available. DIN 53019-1 < 7 mm²/s DIN EN ISO 3104 Viscosity / kinematic: (at 40 °C) Flow time: No information available. DIN EN ISO 2431 (at 20 °C) not determined Vapour density: Evaporation rate: not determined 9.2. Other information Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity Flammable



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 7 of 12

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates					
	oral	LD50	> 5000 mg/kg	Rat			
	dermal	LD50	> 5000 mg/kg	Rabbit			
	inhalative (4 h) vapour	LC50	4951 mg/l	Rat			
27247-96-7	2-Ethylhexyl nitrate						
	oral	LD50	>9640 mg/kg	Rat			
	dermal	LD50	>4820 mg/kg	Rabbit			
	inhalative (4 h) vapour	LC50	11 mg/l	Rat			
	inhalative aerosol	ATE	1,5 mg/l				
104-76-7	2-Ethylhexan-1-ol	_					
	oral	LD50	2047 mg/kg	Rat			
	dermal	LD50	> 3000 mg/kg	Rat			
	inhalative (4 h) vapour	LC50	11 mg/l	Rat			
	inhalative aerosol	ATE	1,5 mg/l				
128-37-0	2,6-di-tert-butyl-p-cresol						
	oral	LD50	2930 mg/kg	Rat			
	dermal	LD50	>2000 mg/kg	Rat			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 8 of 12

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways. (Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source		
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates							
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna			
27247-96-7	2-Ethylhexyl nitrate							
	Acute fish toxicity	LC50	2 mg/l	96 h	Danio rerio	Study report (2010)		
	Acute algae toxicity	ErC50	> 12,6 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1998)		
	Acute crustacea toxicity	EC50	> 12,6 mg/l	48 h	Daphnia magna	Study report (1998)		
	Acute bacteria toxicity	(> 1000	mg/l)	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)		
104-76-7	2-Ethylhexan-1-ol							
	Acute fish toxicity	LC50	17,1 mg/l	96 h	Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50	11,5 mg/l	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50	39 mg/l	48 h	Daphnia magna			
128-37-0	2,6-di-tert-butyl-p-cresol							
	Acute fish toxicity	LC50	0,42 mg/l	96 h	Brachydanio rerio (zebra-fish)			
	Acute algae toxicity	ErC50	0,42 mg/l	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50	0,57 mg/l	48 h	Daphnia magna			

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 9 of 12

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	5
27247-96-7	2-Ethylhexyl nitrate	5,24
104-76-7	2-Ethylhexan-1-ol	2,9

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information					
Land transport (ADR/RID)					
<u>14.1. UN number:</u>	UN 3295				
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	III				
Hazard label:	3				



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A						
Print date: 16.04.2018	Product code	e: 1101327	Page 10 of 12			
Classification code:	F1					
Limited quantity:	5 L					
Excepted quantity:	E1					
Transport category:	3					
Hazard No: Tunnel restriction code:	30 D/F					
	D/E					
Inland waterways transport (ADN)	UN 3295					
<u>14.1. UN number:</u>						
14.2. UN proper shipping name:	iso-alkanes, cyclics	LIQUID, N.O.S. (Hydrocarbons, C9 - C11, n-all < 2 % aromates)	(anes,			
<u>14.3. Transport hazard class(es):</u>	3					
14.4. Packing group:	III					
Hazard label:	3					
Classification code:	F1					
Limited quantity:	5 L					
Excepted quantity:	E1					
Marine transport (IMDG)						
<u>14.1. UN number:</u>	UN 3295					
14.2. UN proper shipping name:	HYDROCARBONS iso-alkanes, cyclics	LIQUID, N.O.S. (Hydrocarbons, C9 - C11, n-all < 2 % aromates)	kanes,			
14.3. Transport hazard class(es):	3					
14.4. Packing group:	III					
Hazard label:	3					
Marine pollutant:	no					
Special Provisions:	223					
Limited quantity:	5 L					
Excepted quantity:	E1					
EmS:	F-E, S-D					
Air transport (ICAO-TI/IATA-DGR)						
<u>14.1. UN number:</u>	UN 3295					
14.2. UN proper shipping name:	HYDROCARBONS iso-alkanes, cyclics	LIQUID, N.O.S. (Hydrocarbons, C9 - C11, n-all < 2 % aromates)	(anes,			
14.3. Transport hazard class(es):	3					
14.4. Packing group:	III					
Hazard label:	3					
Special Provisions:	A3 A324					
Limited quantity Passenger:	10 L					
Passenger LQ:	Y344					
Excepted quantity:	E1					
IATA-packing instructions - Passenger:		355				
IATA-max. quantity - Passenger:		60 L				
IATA-packing instructions - Cargo:		366				
IATA-max. quantity - Cargo:		220 L				
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	no					
14.6. Special precautions for user Warning: Combustible liquid.						
14.7. Transport in bulk according to Annex not applicable	II of Marpol and the IE	<u>3C Code</u>				



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 11 of 12

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

2010/75/EU (VOC):

No information available. No information available.

2004/42/EC (VOC):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: Calculation method.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 2 - clearly water contaminating

Water contaminating class (D): 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,8,10,11.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.



according to Regulation (EC) No 1907/2006

183 System Agent Concentrate MP18300200A

Print date: 16.04.2018

Product code: 1101327

Page 12 of 12

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)