





according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 2 of 11

P280	Wear eye/face protection..
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap..
P314	Get medical advice/attention if you feel unwell.
P273	Avoid release to the environment.

**Special labelling of certain mixtures**

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	-------------------------------------------------------

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
918-481-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	50 - < 100 %
64742-48-9	Xn - Harmful R65-66	
	Asp. Tox. 1; H304 EUH066	
01-2119457273-39		
248-363-6	2-Ethylhexyl nitrate	10 - < 20 %
27247-96-7	Xn - Harmful, N - Dangerous for the environment R20/21/22-44-51-53-66	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H302 H312 H332 H411 EUH044 EUH066	
	Organometallic iron compounds	1 - < 3 %
	Xn - Harmful R48/22-53	
	STOT RE 2, Aquatic Chronic 4; H373 H413	
907-745-9	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol	1 - < 3 %
	Xi - Irritant, N - Dangerous for the environment R41-50-53	
	Eye Dam. 1, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1; H318 H400 H410	
01-2119538013-5		

Full text of R, H and EUH phrases: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Remove person to fresh air and keep comfortable for breathing.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 3 of 11

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Do not breathe gas/fumes/vapour/spray.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Further information on handling**

Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 4 of 11

Provide adequate ventilation as well as local exhaustion at critical locations.

**Advice on storage compatibility**

No special measures are necessary.

**7.3. Specific end use(s)**

Additive

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

- a no restriction
- b End of exposure or shift
- c in long-term exposure: after several shifts
- d prior to next shift

STEL (EC) : Short Term Exposure Limit

TWA (EC): time-weighted average

U: Urea

B: Blood

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	dark brown
Odour:	amine-like

pH-Value (at 20 °C):

not determined    **Test method**    DIN 19268**Changes in the physical state**

Melting point:

not determined

Initial boiling point and boiling range:

100 °C



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 5 of 11

Sublimation point:	No information available.
Softening point:	No information available.
:	No information available.
Flash point:	62 °C ISO 3679
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Ignition temperature:	No information available.
<b>Auto-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
<b>Oxidizing properties</b>	
Not oxidizing.	
Vapour pressure:	not determined
Density (at 20 °C):	0,815 g/cm <sup>3</sup> DIN 51757
Bulk density:	No information available.
Water solubility:	insoluble
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	No information available. DIN 53019-1
Viscosity / kinematic: (at 40 °C)	< 7 mm <sup>2</sup> /s DIN EN ISO 3104
Flow time: (at 20 °C)	No information available. DIN EN ISO 2431
Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	No information available.
Solvent content:	No information available.
<b>9.2. Other information</b>	
Solid content:	not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

none



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 6 of 11

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**Further information**

Do not mix with other chemicals.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Method	Dose	Species	Source
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				
	oral	LD50 mg/kg	>8000	Rat	
	dermal	LD50 mg/kg	>3160	Rabbit	
	inhalative (4 h) vapour	LC50	4951 mg/l	Rat	
27247-96-7	2-Ethylhexyl nitrate				
	oral	LD50 mg/kg	>9640	Rat	
	dermal	LD50 mg/kg	>4820	Rabbit	
	inhalative (4 h) vapour	LC50	11 mg/l	Rat	
	inhalative aerosol	ATE	1,5 mg/l		
	Organometallic iron compounds				
	oral	LD50	1320 mg/kg		
	dermal	LD50 mg/kg	>2000		
	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol				
	oral	LD50	2976 mg/kg	Rat	
	dermal	LD50 mg/kg	> 2000	Rat	

**Irritation and corrosivity**

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 7 of 11

**Severe effects after repeated or prolonged exposure**

Repeated exposure may cause skin dryness or cracking.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates					
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	>1000 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50	>1000 mg/l	48 h	Daphnia magna	
27247-96-7	2-Ethylhexyl nitrate					
	Acute fish toxicity	LC50	2 mg/l	96 h	Brachydanio rerio (zebra-fish)	
	Acute algae toxicity	ErC50	>1 - <10 mg/l	72 h	Algae toxicity	
	Acute crustacea toxicity	EC50	<10 mg/l	48 h	Daphnia magna	
	Organometallic iron compounds					
	Acute fish toxicity	LC50	>100 mg/l	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50	>100 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (Big water flea)	
	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol					
	Acute fish toxicity	LC50	0,3 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	4,9 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50	0,4 mg/l	48 h	Daphnia magna	

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 8 of 11

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
27247-96-7	2-Ethylhexyl nitrate	3,74 - 5,24

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Waste disposal number of waste from residues/unused products**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors  
Classified as hazardous waste.

**Waste disposal number of used product**

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors  
Classified as hazardous waste.

**Waste disposal number of contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances  
Classified as hazardous waste.

**Contaminated packaging**

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 601
Limited quantity:	5 L
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E





according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 9 of 11

**Other applicable information (land transport)**

Limited quantity: E1

**Inland waterways transport (ADN)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 601
Limited quantity:	5 L

**Other applicable information (inland waterways transport)**

Limited quantity: E1

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol))
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Marine pollutant:	Yes
Special Provisions:	274, 335
Limited quantity:	5 L
EmS:	F-A, S-F

**Other applicable information (marine transport)**

Limited quantity: E1

**Air transport (ICAO)**

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol))
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Special Provisions:	A97 A158
Limited quantity Passenger:	30 kg G
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

**Other applicable information (air transport)**

Limited quantity: E1

Passenger-LQ: Y964

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:	yes
Danger releasing substance:	Reaction mass of 2,6-di-tert-butylphenol and 2,4,6-tri-tert-butylphenol);2-Ethylhexyl nitrate



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 10 of 11

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

1999/13/EC (VOC): EU 98,4 CH 86,4

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 2 - water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,14.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Relevant R phrases (number and full text)**

20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
41	Risk of serious damage to eyes.
44	Risk of explosion if heated under confinement.
48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
50	Very toxic to aquatic organisms.
51	Toxic to aquatic organisms.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
53	May cause long-term adverse effects in the aquatic environment.
65	Harmful: may cause lung damage if swallowed.
66	Repeated exposure may cause skin dryness or cracking.

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.



according to Regulation (EC) No 1907/2006

**184 System-Wirkstoff DPF**

Print date: 22.06.2016

Product code: 11AMP18400100B

Page 11 of 11

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*