

according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

915 TUN Solve Cleaner MP91500500B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP Deutschland Vertriebs GmbH & Co	. Betriebs KG
Street:	Bürgermeister-Seidl-Str. 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600 - 0	Telefax: +49 (0) 8171/1600 - 40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	+49 (0) 30 30 686 790 (Giftnotruf Berlin)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F - Highly flammable, Xi - Irritant R phrases: Flammable. Irritating to eyes and skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Aerosol: Aerosol 2 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. Causes skin irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard components for labelling

Acetone Hydrocarbons C7-C9, iso-alkanes propan-2-ol; isopropyl alcohol; isopropanol Signal word: Danger Pictograms: GHS02-GHS07



according to Regulation (EC) No 1907/2006

	915 TUN Solve Cleaner MP91500500B	D
int date: 22.06.2016	Product code: 11AFX91500500B	Page 2 o
Hazard statements		
H223	Flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H319	Causes serious eye irritation.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statement		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P260	Do not breathe Aerosol.	
P280	Wear Eye/face protection.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P302+P352	IF ON SKIN: Wash with plenty of Water and soap	
P312	Call a POISON CENTER/doctor if you feel unwell.	
P314	Get medical advice/attention if you feel unwell.	
P273	Avoid release to the environment.	
P271	Use only outdoors or in a well-ventilated area.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
	Do not pierce or burn, even after use.	

<u>Jther haza</u>

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 3 of 12

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-661-7	2-Propanol	25 - < 50 %
67-63-0	F - Highly flammable, Xi - Irritant R11-36-67	
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
01-2119457558-25		
200-662-2	Acetone	20 - < 25 %
67-64-1	F - Highly flammable, Xi - Irritant R11-36-66-67	
606-001-00-8	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066	
921-728-3	Hydrocarbons C7-C9, iso-alkanes	20 - < 25 %
90622-56-3	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411	
01-2119471305-42		
927-241-2	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, 2% aromatics	3 - < 5 %
64742-48-9	Xn - Harmful R10-52-53-65-66-67	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 3; H226 H336 H304 H412 EUH066	
01-2119471843-32		
204-696-9	carbon dioxide	3 - < 5 %
124-38-9		

Full text of R, H and EUH phrases: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Caution if victim vomits: Risk of aspiration!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 4 of 12

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition. - No smoking. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

Further information on storage conditions

Protect against direct sunlight. Protect from frost.

7.3. Specific end use(s)

Solvent-based cleaner



according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 5 of 12

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
1		1500	3620		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
1		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

a no restriction b End of exposure or shift c in long-term exposure: after several shifts d prior to next shift

TWA (EC): time-weighted average U: Urea B: Blood

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min Thickness of the glove material 0,45 mm (DIN EN 374)

Skin protection

Wear suitable protective clothing.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Suitable respiratory protection apparatus: Combination filtering device (EN 14387) Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

No information available.

according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

TUNAP

Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Aerosol colourless		
Odour:	solvent like		
			Test method
pH-Value (at 20 °C):		not applicable	DIN 19268
Changes in the physical state			
Melting point:		No information available.	
Initial boiling point and boiling rang	ge:	55 °C	
Sublimation point:		No information available.	
Softening point:		No information available.	
Flash point:		-17 °C	
Lower explosion limits:		>1,5 vol. %	
Upper explosion limits:		14 vol. %	
Ignition temperature:		No information available.	
Vapour pressure:		No information available.	
Vapour pressure:		No information available.	
Density (at 20 °C):		0,755 g/cm³	DIN 51757
Bulk density:		No information available.	
Water solubility:		partially soluble	
Partition coefficient:		No information available.	
Viscosity / dynamic:		No information available.	
Viscosity / kinematic:		No information available.	
Flow time:		No information available.	
Vapour density:		No information available.	
Evaporation rate:		No information available.	
Solvent separation test:		No information available.	
Solvent content:		No information available.	
9.2. Other information			
Solid content:		No information available.	

density: Data apply to technical substance. pressure:-5 bar (20° C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

according to Regulation (EC) No 1907/2006



915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 7 of 12

10.5. Incompatible materials

Reacts with : Oxidizing agents.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute toxicity

CAS No	Chemical name						
	Exposure route	Method	Dose	Species	Source		
67-63-0	2-Propanol						
	oral	LD50	5280 mg/kg	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalative (4 h) vapour	LC50	47,5 mg/l	Rat			
67-64-1	Acetone						
	oral	LD50	5800 mg/kg	Rat	RTECS		
	dermal	LD50 mg/kg	20000	Rabbit	IUCLID		
	inhalative (4 h) vapour	LC50	76 mg/l	Rat			
90622-56-3	Hydrocarbons C7-C9, iso-alkanes	Hydrocarbons C7-C9, iso-alkanes					
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 2000	Rabbit			
	inhalative (4 h) vapour	LC50	21 mg/l	Rat			
	inhalative (4 h) aerosol	LC50	>9,4 mg/l	Rat			
64742-48-9	Hydrocarbons, C9-C10, n-alkanes,	isoalkanes, c	cyclenes, 2% ar	omatics			
	oral	LD50 mg/kg	> 5000	Rat			
	dermal	LD50 mg/kg	> 5000	Rabbit			
	inhalative (4 h) vapour	LC50	> 4951 mg/l	Rat			

Irritation and corrosivity

Causes serious eye irritation.

Causes skin irritation.

Irritating to eyes. Vapours may cause drowsiness and dizziness. After skin contact: Irritant.

according to Regulation (EC) No 1907/2006

		915 TUN So	olve Cleaner	MP915	00500B	
int date: 22.06	6.2016	Produc	ct code: 11AFX9	1500500	ЭВ	Page 8 o
Sensitising						
	Based on available data, th	ne classificatio	on criteria are no	t met.		
STOT-single	-					
	May cause drowsiness or c (Hydrocarbons, C9-C10, n-					kanes),
	ts after repeated or prolor Based on available data, th			t met.		
Carcinogeni	c/mutagenic/toxic effects	for reproduct	ion			
	Based on available data, th		on criteria are no	t met.		
	No indication of human car					
	No indications of human ge No indications of human re					
Aspiration h			Cicity Exist.			
-	Based on available data, th	e classificatio	n criteria are no	t met.		
	ects in experiment on an a					
-	No information available.					
ECTION 12: I	Ecological information					
.1. Toxicity						
	Harmful to aquatic organisr	ns. mav caus	e long-term adve	erse effe	cts in the aquatic environ	ment.
CAS No	Chemical name				··· · · · · · · · · ·	
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
67-63-0	2-Propanol					
	Acute fish toxicity	LC50	9640 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50	> 100 mg/l		Desmodesmus subspicatus.	
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna	
67-64-1	Acetone					
	Acute fish toxicity	LC50	5540 mg/l	96 h	Onchorhynchus mykiss	
	Acute crustacea toxicity	EC50	6100 mg/l		Daphnia magna	
90622-56-3	Hydrocarbons C7-C9, iso-al					·
	Acute fish toxicity	LC50	18,4 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	29 mg/l	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia magna	
64742-48-9	Hydrocarbons, C9-C10, n-a					
	Acute fish toxicity	LC50	>1000 mg/l	1	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	>1000 mg/l	72 h	Pseudokirchneriella	1

12.2. Persistence and degradability

Acute crustacea toxicity

There are no data available on the mixture itself. AOX (mg/l): 0

EC50

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

>1000 mg/l

subcapitata

48 h Daphnia magna





according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 9 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	2-Propanol	0,05
67-64-1	Acetone	-0,24

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances Classified as hazardous waste.

Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Transport category:	2
Tunnel restriction code:	D



according to Regulation (EC) No 1907/2006

9	15 TUN Solve Cleaner MP91500500B	
Print date: 22.06.2016	Product code: 11AFX91500500B	Page 10 of 12
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
<u>14.3. Transport hazard class(es):</u>	2	
14.4. Packing group:	-	
Hazard label:	2.1	
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity: Marine transport (IMDG)	1L	
	UN 1950	
14.1. UN number:		
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label: Marine pollutant:	2.1	
Special Provisions:	no 63, 190, 277, 327, 344, 959	
Limited quantity:	1000 mL	
EmS:	F-D, S-U	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Special Provisions:	A145 A167 A802	
Limited quantity Passenger:	30 kg G	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	203 75 kg	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	203	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
Warning: Flammable gases		
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ	lations/legislation specific for the substance or mixture	2
EU regulatory information		-
1999/13/EC (VOC):	EU/CH 96,24	
Additional information		
	to Regulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
	1 slightly water contaminating	
Water contaminating class (D):	1 - slightly water contaminating	

according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 11 of 12

Additional information

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P. Classification and labeling as carcinogenic is not necessary.

SECTION 16: Other information

Changes

10

11 36

38

51

52

53

65

66 67

This data sheet contains changes from the previous version in section(s): 9,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate STEL (EC) Short Term Exposure Limit LC50: Lethal Concentration EC50: half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate Relevant R phrases (number and full text) Flammable. Highly flammable. Irritating to eyes. 36/38 Irritating to eyes and skin. Irritating to skin. Toxic to aquatic organisms. Harmful to aquatic organisms. 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the aguatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Relevant H and EUH statements (number and full text) H223 Flammable aerosol. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. Causes serious eve irritation. H319

- May cause drowsiness or dizziness. H336
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on



according to Regulation (EC) No 1907/2006

915 TUN Solve Cleaner MP91500500B

Print date: 22.06.2016

Product code: 11AFX91500500B

Page 12 of 12

our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)