

## Human Technology® 901 Liquid Grease Flow

High-quality synthetic active liquid grease with PTFE. Excellent creep and lubricating effect and outstanding corrosion protection. Ideal long-term care for all moving, metallic parts.



### TUNAP Human Technology®:

- ✓ NSF\*-certified
- ✓ Free from fragrances and dyes
- ✓ Free from solvents
- ✓ Free from neurotoxic n-hexane
- ✓ No indicators of toxicological effects
- ✓ \*NSF International, The Public Health and Safety Company™

### Properties

- ✓ Very good anti-corrosion protection and wear protection through use of a calcium-complex formula
- ✓ Reduces friction also under extreme conditions, through use of PTFE
- ✓ Very good creeping properties
- ✓ Stable at temperatures from -40°C to +200°C
- ✓ Does not gum up and does not stick

### Application area

- ✓ Long-term lubrication for all moving components (e.g. door brakes, seat rails, joints, hinges, sliding parts, studs, door striker, locking cylinders, locks, rods etc.)
- ✓ Drastically reduced danger to the health through use of Human Technology®. Therefore particularly suitable for use in vehicle interiors.
- ✓ As part of the TUNAP service package „Pflege spüren“

### Instructions

Refer to the product information before use. Shake well before use. Spray parts to be maintained.

### Notice

- ✓ If the product is to be used in the food-processing industry, only the minimum quantity that is technically necessary may be used.
- ✓ If the product is to be used as an anti-corrosive film, it must be completely removed before the device in question is used again.



Product Description	Contents	Weight of content	Article Number	Packaging Unit
Liquid Grease Flow	400 ml	0.261 kg	1101543	12 PCS

