

microflex®

## 974 microflex® Injector Direct Protection

microflex® 974 prevents fuel-related deposits in injectors thanks to innovative ROA<sup>2</sup> technology that forms a molecular-active protective film. It thereby minimises fuel consumption and keeps emissions values low. When added to the fuel tank, the fuel is proven to remain within the DIN EN 228 fuel standard.



### ROA<sup>2</sup> (Reactive Organic Amines) technology

- ✓ Further development of ROA technology (more powerful cleaning formula)
- ✓ Deposits on injectors are broken down and cleaned away
- ✓ Re-contamination is prevented
- ✓ Excellent dissolution properties in all petrol mixtures

### Properties

- ✓ Independently tested for effectiveness by TÜV
- ✓ Provides effective protection against fuel-related deposits
- ✓ Molecularly active protective film delays recontamination
- ✓ Maintains fuel consumption and exhaust gas values regarding fuel-related pollution at the same level as new cars
- ✓ Antioxidants delay the chemical ageing of the fuel
- ✓ Increases the octane number to prevent „knocking“ and prevent engine damage
- ✓ Simple and efficient one-step application thanks to state-of-the-art packaging technology
- ✓

### Application area

- ✓ Suitable for all petrol (ethanol) mixtures
- ✓ For all intake manifold and direct-injection petrol engines.
- ✓ Use regularly (recommended every 5,000 km) for best protection. Use after applying 979 Injector Direct cleaner or 937 Injector Intensive cleaner.



### Instructions

Add to the fuel tank.

### Dosing

100 ml: Sufficient for up to 40 litres of fuel (min. 5 litres of fuel).  
200 ml: Sufficient for up to 80 litres of fuel (min. 10 litres of fuel).

### Notice

- ✓ Suitable for all (ethanol) petrol mixtures.

Product Description	Contents	Article Number	Packaging Unit
microflex® Injector Direct Protection	200 ml	1102602	24 PCS
Additional accessory		Article Number	Packaging Unit
Petrol Fuelling Hose Filler Neck		1601832	1 PCS

# Product Information



The information herein is the product of careful testing. It is to be considered a recommendation compliant with state of the art knowledge where use is concerned. We cannot accept any liability whatsoever in view of the multiplicity of possible uses and working methods. No contractual relationship is hence implied and no ancillary obligations arise from any contract of sale that may be made. Product information is only valid in its latest current form. TUNAP (U.K) Limited | Unit L4 Deacon Trading Estate, Morley Road, Tonbridge, Kent TN9 1RA | Telephone +44 (0) 1732 365163 | e-Mail: sales@tunap.co.uk

PI 974 20240805

TUNAP.com