Product Information

Human+Technology®
915 Cleaner+

Cleaner for maintenance, repair and assembly work for the effective removal of dust, encrusted dirt, oil, grease, resin and corrosion protection layers.

NSF Nonfood Compounds K1

n-hexane free

Human+Technology®

- ✔ High level of industrial safety and user protection since it is free from neurotoxic n-hexane, potentially allergenic fragrances and dyes, and harmful solvents
- ✔ No indicators of toxicological effects
- ✔ NSF K1 registered
- ✔ ISO 21469, Kosher and Halal certified
- ✔ Formula free from silicone oil, PFAS and microplastics
- ✔ Better for people and the environment due to the use of fewer potentially harmful ingredients

Properties

- ✔ Excellent cleaning performance in A1 quality at the lowest hazard level according to TRGS 600 (German Technical Rules for Hazardous Substances)
- ✔ Minimal potential risk - recommended product according to the German Ordinance on Hazardous Substances (protection level 2)
- ✔ Spray jet, not spray mist
- ✔ Lower explosive limit of ›1.5 % by volume and reduced risk of fire and its consequences
- ✔ High electrical quiescent conductivity of ›1,000 pS/m
- ✔ Reduced flash-off time with an evaporation rate of 4.5

Application area

- ✔ For maintenance, repair and assembly of components subject to oily and greasy residues and resin deposits
- ✔ For cleaning paint-like deposits
- ✔ For maintenance and repair of brakes and clutches

Instructions

Refer to the product information before use. Evenly spray the surfaces to be cleaned from a distance of approx. 20 cm. If necessary, use a brush, cloth or similar tool to mechanically apply the product to the surface and allow to dry.

Notice

- ✔ When using the product in the food processing industry, the treated surface must be cleaned with drinking water after the product has been applied.
- ✔ Do not apply to painted surfaces.
- ✔ For plastics, check compatibility on an inconspicuous area before use.

Product Description	Contents	Article Number	Packaging Unit
Cleaner+	500 ml	1108561	24 PCS

The information herein is the product of careful testing. It is to be considered a recommendation compliant with state of the art knowledge where use is concerned. We cannot accept any liability whatsoever in view of the multiplicity of possible uses and working methods. No contractual relationship is hence implied and no ancillary obligations arise from any contract of sale that may be made. Product information is only valid in its latest current form. TUNAP (U.K) Limited | Unit L4 Deacon Trading Estate, Morley Road, Tonbridge, Kent TN9 1RA | Telephone +44 (0) 1732 365163 | e-Mail: sales@tunap.co.uk

Product Information

Technical Product Data	Cleaner+
Flashing point	-17 °C
Lower explosive limit	1.5 %
NSF Number	151673



The information herein is the product of careful testing. It is to be considered a recommendation compliant with state of the art knowledge where use is concerned. We cannot accept any liability whatsoever in view of the multiplicity of possible uses and working methods. No contractual relationship is hence implied and no ancillary obligations arise from any contract of sale that may be made. Product information is only valid in its latest current form. TUNAP (U.K) Limited | Unit L4 Deacon Trading Estate, Morley Road, Tonbridge, Kent TN9 1RA | Telephone +44 (0) 1732 365163 | e-Mail: sales@tunap.co.uk