

TUNERT 766

Water-white inert oil

Benefits

- ✓ Odourless and tasteless
- ✓ Colourless
- ✓ Oil is extremely resistant to oxidation and ageing
- ✓ Oil has excellent material compatibility, especially with plastics

Properties

- ✓ Colourless inert oil in fast-evaporating solvent for a very thin lubricating film
- ✓ Due to its high level of purity and inert molecular structure, it is completely tasteless and odourless

Application area

- ✓ For lubricating and protecting seals, joints, chains and any moving parts, in particular in medical technology, in which there is a risk of direct contact between the lubricant and foodstuffs.

Instructions

Application with brush, clean cleaning cloth, drip oiler or by spraying.

Stir the solution thoroughly for several minutes until good homogeneity is achieved and the solvent has evaporated.

Refer to the product information before use.

Product Description	Contents	Weight of content	Gross weight	Article Number	Packaging Unit
TUNERT 766	1 l	1.55 kg	1.65 kg	11AC14032L0010	12 PCS



Technical Product Data	TUNERT 766
Density/conditions	1.54 g/cm ³ / at 20°C
Colour spectrum	Colourless Clear
Oil basis	PFPE Perfluorpolyether PFPE-Perfluorpolyether
Kinematic viscosity / condition	500 mm ² /s / at 40°C
Min. flashing point /conditions	62 / in accordance with DIN ISO 3016
Min./max. temperature conditions	-20 to 250 °C

The information provided here is based on our general technical experience and knowledge related to printing. All specifications are guidelines based on product design, the specified use and mechanical and systems engineering. But the information does not represent any pledge about features or any assurance about the product's suitability for use in a particular case. The user is not released from the responsibility of testing the product.

Depending on the mechanical, dynamic, chemical and thermal stresses to which they are subjected, lubricants alter their technical values on a pressure- and time-dependent basis. The changes can have an impact on the function in the application.

TUNAP products are continuously refined. We reserve the right to change all technical data in this document at any time and without any prior notification. Obligations of any kind are in no way implied.